## Chapter 25

## Salt; sulphur; earths and stone; plastering materials, lime and cement

## Notes.

1.- Except where their context or Note 4 to this Chapter otherwise requires, the headings of this Chapter cover only products which are in the crude state or which have been washed (even with chemical substances eliminating the impurities without changing the structure of the product), crushed, ground, powdered, levigated, sifted, screened, concentrated by flotation, magnetic separation or other mechanical or physical processes (except crystallisation), but not products which have been roasted, calcined, obtained by mixing or subjected to processing beyond that mentioned in each heading.

The products of this Chapter may contain an added anti-dusting agent, provided that such addition does not render the product particularly suitable for specific use rather than for general use.

2.- This Chapter does not cover :

(a) Sublimed sulphur, precipitated sulphur or colloidal sulphur (heading 28.02);

(b) Earth colours containing 70 % or more by weight of combined iron evaluated as Fe2O3 (heading 28.21);

(c) Medicaments or other products of Chapter 30;

(d) Perfumery, cosmetic or toilet preparations (Chapter 33);

(e) Dolomite ramming mix (heading 38.16);

(f) Setts, curbstones or flagstones (heading 68.01); mosaic cubes or the like (heading 68.02); roofing, facing or damp course slates (heading 68.03);

(g) Precious or semi-precious stones (heading 71.02 or 71.03);

(h) Cultured crystals (other than optical elements) weighing not less than 2.5 g each, of sodium chloride or of magnesium oxide, of heading 38.24; optical elements of sodium chloride or of magnesium oxide (heading 90.01);

(ij) Billiard chalks (heading 95.04); or

(k) Writing or drawing chalks or tailors' chalks (heading 96.09).

3.- Any products classifiable in heading 25.17 and any other heading of the Chapter are to be classified in heading 25.17.

4.- Heading 25.30 applies, inter alia, to : vermiculite, perlite and chlorites, unexpanded; earth colours, whether or not calcined or mixed together; natural micaceous iron oxides; meerschaum (whether or not in polished pieces); amber; agglomerated meerschaum and agglomerated amber, in plates, rods, sticks or similar forms, not worked after moulding; jet; strontianite (whether or not calcined), other than strontium oxide; broken pieces of pottery, brick or concrete.

|        |         |  |      | ICL/     |    |    |    |    | Pre  | eferent | tial Du | ity  |      |      | Gen                         |     | P   | AL | Ce                          | SS | Excise  |      | S      |
|--------|---------|--|------|----------|----|----|----|----|------|---------|---------|------|------|------|-----------------------------|-----|-----|----|-----------------------------|----|---------|------|--------|
| HS Hdg | HS Code | Description  | Unit | SLSI     | AP | AD | BN | GT | IN   | РК      | SA      | SF   | SD   | SG   | Duty                        | VAT | Gen | SG | GEN                         | SG | (S.P.D) | SSCL | C<br>L |
| 25.01  | 2501.00 | Salt (including table salt and<br>denatured salt) and pure sodium<br>chloride, whether or not in aqueous<br>solution or containing added anti-<br>caking or free-flowing agents; sea<br>water.<br>Food Grade Salt (Granular or<br>Powdered form) | kg   | L<br>L/S |    |    |    |    |      |         |         |      |      |      | 20% or<br>Rs.40/=<br>per kg | 18% | Ex  |    | 20% or<br>Rs.40/=<br>per kg |    |         | 2.5% | *      |
| 25.02  | 2502.00 | Unroasted iron pyrites.  | kg   |          |    |    |    |    | Free | Free    |         | Free | Free | Free | Free                        | 18% | Ex  |    |                             |    |         | 2.5% |        |

|        |            |                           |  |      | ICL/ |    |    |    |    | Pre  | eferent | ial Du | ıty  |      |       | Gen  |     | P   | AL | Ce  | ss | Excise  |      | S      |
|--------|------------|---------------------------|--|------|------|----|----|----|----|------|---------|--------|------|------|-------|------|-----|-----|----|-----|----|---------|------|--------|
| HS Hdg | HS Code    |                           | Description  | Unit | SLSI | AP | AD | BN | GT | IN   | РК      | SA     | SF   | SD   | SG    | Duty | VAT | Gen | SG | GEN | SG | (S.P.D) | SSCL | C<br>L |
| 25.03  | 2503.00    | sublim                    | ır of all kinds, other than<br>ıed sulphur, precipitated<br>ır and colloidal sulphur.  | kg   |      |    |    |    |    | Free | Free    |        | Free | Free | Free  | Free | 18% | 10% | 6% |     |    |         | 2.5% |        |
| 25.04  |            | Natura                    | al graphite.   |      |      |    |    |    |    |      |         |        |      |      |       |      |     |     |    |     |    |         |      |        |
|        |            |                           |  |      |      |    |    |    |    |      |         |        |      |      |       |      |     |     |    |     |    |         |      | 1      |
| i      | 2504.10    | In pow                    | der or in flakes :   |      |      |    |    |    |    |      |         |        |      |      |       |      |     |     |    |     |    |         |      | 1      |
|        | 2504.10.10 | Waste                     |  | ka   | L    |    |    |    |    | Free | Free    |        | 5%   | 4.5% | 10.0% | 15%  | 18% | Ex  |    |     |    |         | 2.5% | 1      |
|        | 2504.10.90 | Other                     |  | ka   |      |    |    |    |    | Free | Free    |        | 5%   | 4.5% | 10.0% | 15%  | 18% | 10% | 6% |     |    |         | 2.5% | T      |
|        | 2504.90    | Other :                   |  | J    |      |    |    |    |    |      |         |        |      |      |       |      |     |     |    |     |    |         |      | T      |
|        | 2504.90.10 | Waste                     |  | kg   | L    |    |    |    |    | Free | Free    |        | 5%   | 4.5% | 10.0% | 15%  | 18% | Ex  |    |     |    |         | 2.5% | T      |
|        | 2504.90.90 | Other                     |  | kg   |      |    |    |    |    | Free | Free    |        | 5%   | 4.5% | 10.0% | 15%  | 18% | Ex  |    |     |    |         | 2.5% | T      |
|        |            |                           |  |      |      |    |    |    |    |      |         |        |      |      |       |      |     |     |    |     |    |         |      |        |
| 25.05  |            | not co                    | al sands of all kinds, whether or<br>loured, other than metal<br>g sands of Chapter 26.  |      |      |    |    |    |    |      |         |        |      |      |       |      |     |     |    |     |    |         |      |        |
|        | 2505.10    | Silica sa                 | ands and quartz sands :  |      |      |    |    |    |    |      |         |        |      |      |       |      |     |     |    |     |    |         |      | +      |
|        | 2505.10.10 | Waste                     |  | ka   | L    |    |    |    |    | Free | Free    |        | 5%   | 4.5% | 10.0% | 15%  | 18% | Ex  |    |     |    |         | 2.5% | 1      |
|        |            | Other :                   |  | J    |      |    |    |    |    |      |         |        |      |      |       |      |     |     |    |     |    |         |      | T      |
|        | 2505.10.91 | Silica sa                 | ands and quartz sands from rivers  | ka   |      |    |    |    |    | Free | Free    |        | 5%   | 4.5% | Free  | Free | 18% | Ex  |    |     |    |         | 2.5% | T      |
|        | 2505.10.99 | Other                     |  | ka   |      |    |    |    |    | Free | Free    |        | 5%   | 4.5% | Free  | Free | 18% | 10% | 6% |     |    |         | 2.5% | T      |
|        | 2505.90    | Other                     |  | kg   |      |    |    |    |    | Free | Free    |        | 5%   | 4.5% | Free  | Free | 18% | 10% | 6% |     |    |         | 2.5% |        |
|        |            |                           |  |      |      |    |    |    |    |      |         |        |      |      |       |      |     |     |    |     |    |         |      |        |
| 25.06  |            | quartz<br>trimm<br>otherv | (other than natural sands);<br>ite, whether or not roughly<br>ed or merely cut, by sawing or<br>vise, into blocks or slabs of a<br>gular (including square) shape. |      |      |    |    |    |    |      |         |        |      |      |       |      |     |     |    |     |    |         |      |        |
|        | 2506.10    | Ouartz                    | :  |      |      |    |    |    |    |      |         |        |      |      |       |      |     |     |    |     |    |         |      | F      |
|        | 2506.10.10 |                           | in quartz  | ka   |      |    |    |    |    | Free | Free    |        | 5%   | 4.5% | 10.0% | 15%  | 18% | 10% | 6% |     |    |         | 2.5% | 1      |
|        | 2506.10.90 |                           | dded vein guartz   | ka   |      |    |    |    |    | Free | Free    |        | 5%   | 4.5% | 10.0% | 15%  | 18% | Ex  | 1  |     |    |         | 2.5% | 1      |
|        | 2506.20    | Quartzi                   |  | kg   |      |    |    |    |    | Free | Free    |        | 5%   | 4.5% | 10.0% | 15%  | 18% | 10% | 6% |     |    |         | 2.5% |        |
| 25.07  | 2507.00    |                           | and other kaolinic clays,<br>er or not calcined.   | kg   |      |    |    |    |    | Free | Free    |        | Free | Free | Free  | Free | 18% | 10% | 6% |     |    |         | 2.5% |        |

|        |                                     |  |          | ICL/ |    |    |    |              | Pre          | eferent      | tial Du | ıty          |              |              | Gen          |            | P.         | AL       | Ce  | ss | Excise  |              | s        |
|--------|-------------------------------------|--|----------|------|----|----|----|--------------|--------------|--------------|---------|--------------|--------------|--------------|--------------|------------|------------|----------|-----|----|---------|--------------|----------|
| HS Hdg | HS Code                             | Description  | Unit     | SLSI | AP | AD | BN | GT           | IN           | РК           | SA      | SF           | SD           | SG           | Duty         | VAT        | Gen        | SG       | GEN | SG | (S.P.D) | SSCL         | C<br>L   |
| 25.08  |                                     | Other clays (not including expanded<br>clays of heading 68.06), and alusite,<br>kyanite and sillimanite, whether or<br>not calcined; mullite; chamotte or<br>dinas earths (+).             |          |      |    |    |    |              |              |              |         |              |              |              |              |            |            |          |     |    |         |              |          |
|        | 2508.10<br>2508.30                  | - Bentonite<br>- Fire-clav   | kg<br>ka |      |    |    |    |              | Free<br>Free | Free<br>Free |         | Free<br>Free | Free<br>Free | Free<br>Free | Free<br>Free | 18%<br>18% | 10%<br>10% | 6%<br>6% |     |    |         | 2.5%<br>2.5% | _        |
|        | 2508.40<br>2508.50                  | - Other clays<br>- Andalusite, kyanite and sillimanite   | kg<br>kg |      |    |    |    |              | Free<br>Free | Free<br>Free |         | Free<br>Free | Free<br>Free | Free<br>Free | Free<br>Free | 18%<br>18% | 10%<br>Ex  | 6%       |     |    |         | 2.5%<br>2.5% | $\vdash$ |
|        | 2508.60<br>2508.70                  | - Mullite<br>- Chamotte or dinas earths  | kg<br>kg |      |    |    |    |              | Free<br>Free | Free<br>Free |         | Free<br>Free | Free<br>Free | Free<br>Free | Free<br>Free | 18%<br>18% | Ex<br>Ex   |          |     |    |         | 2.5%<br>2.5% | ╞        |
| 25.09  | 2509.00                             | Chalk.   | kg       |      |    |    |    |              | Free         | Free         |         | Free         | Free         | Free         | Free         | 18%        | 10%        | 6%       |     |    |         | 2.5%         |          |
| 25.10  |                                     | Natural calcium phosphates, natural<br>aluminium calcium phosphates and<br>phosphatic chalk.   |          |      |    |    |    |              |              |              |         |              |              |              |              |            |            |          |     |    |         |              |          |
|        | 2510.10                             | - Unground :   |          |      |    |    |    | _            | _            |              |         | _            |              |              |              | 100/       |            |          |     |    |         | 0.50/        | $\pm$    |
|        | 2510.10.10<br>2510.10.90<br>2510.20 | Rock phosphate<br>Other<br>- Ground :  | kg<br>kg |      |    |    |    | Free<br>Free | Free<br>Free | Free<br>Free |         | Free<br>Free | Free<br>Free | Free<br>Free | Free<br>Free | 18%<br>18% | Ex<br>Ex   |          |     |    |         | 2.5%<br>2.5% | _        |
|        | 2510.20<br>2510.20.10<br>2510.20.90 | Rock phosphate<br>Other  | kg<br>kg |      |    |    |    | Free<br>Free | Free<br>Free | Free<br>Free |         | Free<br>Free | Free<br>Free | Free<br>Free | Free<br>Free | 18%<br>18% | 10%<br>Ex  | 6%       |     |    |         | 2.5%<br>2.5% | -        |
| 25.11  |                                     | Natural barium sulphate (barytes);<br>natural barium carbonate (witherite),<br>whether or not calcined, other than<br>barium oxide of heading 28.16.                                       |          |      |    |    |    |              |              |              |         |              |              |              |              |            |            |          |     |    |         |              |          |
|        | 2511.10                             | - Natural barium sulphate (barytes)  | ka       |      |    |    |    |              | Free         | Free         |         | Free         | Free         | Free         | Free         | 18%        | Ex         |          |     |    |         | 2.5%         | +        |
|        | 2511.20                             | - Natural barium carbonate (witherite)   | kg       |      |    |    |    |              | Free         | Free         |         | Free         | Free         | Free         | Free         | 18%        | Ex         |          |     |    |         | 2.5%         | F        |
| 25.12  | 2512.00                             | Siliceous fossil meals (for example,<br>kieselguhr, tripolite and diatomite)<br>and similar siliceous earths, whether<br>or not calcined, of an apparent<br>specific gravity of 1 or less. | kg       |      |    |    |    |              | Free         | Free         |         | Free         | Free         | Free         | Free         | 18%        | 10%        | 6%       |     |    |         | 2.5%         |          |

|        |                          |   |          | ICL/ |    |    |    |    | Pre          | eferent      | tial Du | ity          |              |              | Gen          |            | P        | AL. | Ce  | SS | Excise  |              | S      |
|--------|--------------------------|---|----------|------|----|----|----|----|--------------|--------------|---------|--------------|--------------|--------------|--------------|------------|----------|-----|-----|----|---------|--------------|--------|
| HS Hdg | HS Code                  | Description   | Unit     | SLSI | AP | AD | BN | GT | IN           | РК           | SA      | SF           | SD           | SG           | Duty         | VAT        | Gen      | SG  | GEN | SG | (S.P.D) | SSCL         | C<br>L |
| 25.13  |                          | Pumice stone; emery; natural<br>corundum, natural garnet and other<br>natural abrasives, whether or not hea<br>treated.   | t        |      |    |    |    |    |              |              |         |              |              |              |              |            |          |     |     |    |         |              |        |
|        | 2513.10                  | - Pumice stone  | ka       |      |    |    |    |    | Free         | Free         |         | Free         | Free         | Free         | Free         | 18%        | 10%      | 6%  |     |    |         | 2.5%         |        |
|        | 2513.20                  | Emery, natural corundum, natural garnet     and other natural abrasives   | kg       |      |    |    |    |    | Free         | Free         |         | Free         | Free         | Free         | Free         | 18%        | 10%      | 6%  |     |    |         | 2.5%         |        |
| 25.14  | 2514.00                  | Slate, whether or not roughly trimmed<br>or merely cut, by sawing or otherwise<br>into blocks or slabs of a rectangular<br>(including square) shape   |          |      |    |    |    |    |              |              |         |              |              |              |              |            |          |     |     |    |         |              |        |
|        |                          |   |          |      |    |    |    |    |              |              |         |              |              |              |              |            |          |     |     |    |         |              |        |
|        | 2514.00.10<br>2514.00.90 | Waste<br>Other  | kg<br>ka | L    |    |    | -  |    | Free<br>Free | Free<br>Free |         | Free<br>Free | Free<br>Free | Free<br>Free | Free<br>Free | 18%<br>18% | Ex<br>Ex |     |     |    |         | 2.5%<br>2.5% |        |
|        | 2314.00.90               |   | ĸy       |      |    |    |    |    | Fiee         | riee         |         | riee         | riee         | Fiee         | riee         | 1070       | EX       |     |     |    |         | 2.5%         |        |
| 25.15  |                          | Marble, travertine, ecaussine and<br>other calcareous monumental or<br>building stone of an apparent specific<br>gravity of 2.5 or more, and alabaster,<br>whether or not roughly trimmed or<br>merely cut, by sawing or otherwise,<br>into blocks or slabs of a rectangular<br>(including square) shape (+). |          |      |    |    |    |    |              |              |         |              |              |              |              |            |          |     |     |    |         |              |        |
|        |                          | - Marble and travertine :   |          |      |    |    |    |    |              |              |         |              |              |              |              |            |          |     |     |    |         |              |        |
|        | 2515.11                  | Crude or roughly trimmed  | ka       |      |    |    |    |    | Free         | Free         |         | 5%           | 4.5%         | 10.0%        | 15%          | 18%        | Ex       |     |     |    |         | 2.5%         | +      |
|        | 2515.12                  | <ul> <li>Merely cut, by sawing or otherwise, into<br/>blocks or slabs of a rectangular (including<br/>square) shape</li> </ul>  | kg       |      |    |    |    |    | Free         | Free         |         | 5%           | 4.5%         | 10.0%        | 15%          | 18%        | 10%      | 6%  |     |    |         | 2.5%         |        |
|        | 2515.20                  | <ul> <li>Ecaussine and other calcareous<br/>monumental or building stone; alabaster</li> </ul>  | kg       |      |    |    |    |    | Free         | Free         |         | 5%           | 4.5%         | 10.0%        | 15%          | 18%        | Ex       |     |     |    |         | 2.5%         |        |

|          |         |   |      | ICL/ |    |    |    |    | Pre  | eferent | tial Du | ıty  |       |        | Gen  |      | P   | AL | Ce  | SS   | Excise  |       | S         |
|----------|---------|---|------|------|----|----|----|----|------|---------|---------|------|-------|--------|------|------|-----|----|-----|------|---------|-------|-----------|
| HS Hdg   | HS Code | Description   | Unit | SLSI | AP | AD | BN | GT | IN   | РК      | SA      | SF   | SD    | SG     | Duty | VAT  | Gen | SG | GEN | SG   | (S.P.D) | SSCL  | C<br>L    |
| 25.16    |         | Granite, prophyry, basalt, sandstone<br>and other monu-mental or building<br>stone, whether or not roughly<br>trimmed or merely cut, by sawing or<br>otherwise, into blocks or slabs of a<br>rectangular (including square) shape<br>(+).   |      |      |    |    |    |    |      |         |         |      |       |        |      |      |     |    |     |      |         |       |           |
|          |         |   |      |      |    |    |    |    |      |         |         |      |       |        |      |      |     |    |     |      |         |       | _         |
|          | 2516.11 | - Granite :   |      |      |    | -  | -  |    |      | -       | -       | 50/  | 4 50/ | 10.00/ | 150/ | 100/ | -   |    |     |      |         | 2 50/ | _         |
|          | 2516.11 | Crude or roughly trimmed  | kg   |      |    | -  |    |    | Free | Free    |         | 5%   | 4.5%  | 10.0%  | 15%  | 18%  | Ex  |    |     |      |         | 2.5%  |           |
|          | 2516.12 | <ul> <li>Merely cut, by sawing or otherwise, into<br/>blocks or slabs of a rectangular (including<br/>square) shape</li> </ul>  | kg   |      |    |    |    |    | Free | Free    |         | 5%   | 4.5%  | 10.0%  | 20%  | 18%  | 10% | 6% |     |      |         | 2.5%  |           |
|          | 2516.20 | - Sandstone   | kg   |      |    |    |    |    | Free | Free    |         | 5%   | 4.5%  | 10.0%  | 15%  | 18%  | Ex  |    |     |      |         | 2.5%  | 1         |
|          | 2516.90 | - Other monumental or building stone  | kg   |      |    |    |    |    | Free | Free    |         | 5%   | 4.5%  | 10.0%  | 15%  | 18%  | 10% | 6% |     |      |         | 2.5%  | $\square$ |
| 25.17    |         | Pebbles, gravel, broken or crushed<br>stone, of a kind commonly used for<br>concrete aggregates, for road<br>metalling or for railway or other<br>ballast, shingle and flint, whether or<br>not heat-treated; macadam of slag,<br>dross or similar industrial waste,<br>whether or not incorporating the<br>materials cited in the first part of the<br>heading; tarred macadam; granules,<br>chippings and powder, of stones of<br>heading 25.15 or 25.16, whether or<br>not heat-treated. |      |      |    |    |    |    |      |         |         |      |       |        |      |      |     |    |     |      |         |       |           |
|          | 2517.10 | <ul> <li>Pebbles, gravel, broken or crushed stone,<br/>of a kind commonly used for concrete<br/>aggregates, for road metalling or for<br/>railway or other ballast, shingle and flint,<br/>whether or not heat-treated</li> </ul>   | kg   |      |    |    |    |    | Free | Free    |         | 5%   | 4.5%  | 10.0%  | 15%  | 18%  | 10% | 6% |     |      |         | 2.5%  |           |
| <u> </u> | 2517.20 | <ul> <li>Macadam of slag, dross or similar industrial<br/>waste, whether or not incorporating the<br/>materials cited in subheading 2517.10</li> </ul>  | kg   |      |    |    |    |    | Free | Free    |         | 5%   | 5%    | 20.0%  | 20%  | 18%  | Ex  |    | 10% | Free |         | 2.5%  |           |
|          | 2517.30 | - Tarred macadam  | ka   | -    |    |    |    |    | Free | Free    |         | 5%   | 4.5%  | 10.0%  | 15%  | 18%  | Ex  |    |     |      |         | 2.5%  | +         |
|          |         | Granules, chippings and powder, of stones<br>of heading 25.15 or 25.16, whether or not<br>heat-treated:   |      |      |    |    |    |    |      |         |         |      |       |        |      |      |     |    |     |      |         |       | T         |
|          | 2517.41 | Of marble   | kg   |      | 1  |    |    |    | Free | Free    | 1       | Free | Free  | Free   | Free | 18%  | 10% | 6% |     |      |         | 2.5%  | 1         |

|        |                    |   |          | ICL/         |              |          |    |          | Pre          | eferent      | tial Du | uty      |              |                | Gen        |            | Р          | AL       | C   | ess      | Excise  |              | S      |
|--------|--------------------|---|----------|--------------|--------------|----------|----|----------|--------------|--------------|---------|----------|--------------|----------------|------------|------------|------------|----------|-----|----------|---------|--------------|--------|
| HS Hdg | HS Code            | Description   | Unit     | ICL/<br>SLSI | AP           | AD       | BN | GT       | IN           | РК           | SA      | SF       | SD           | SG             | Duty       | VAT        | Gen        | SG       | GEN | SG       | (S.P.D) | SSCL         | C<br>L |
|        | 2517.49            | Other   | ka       |              |              |          |    |          | Free         | Free         |         | 5%       | 4.5%         | 10.0%          | 15%        | 18%        | 10%        | 6%       |     |          | -       | 2.5%         | +      |
|        | 2517.49            |   | кд       |              |              |          |    |          | rree         | rree         |         | 5%       | 4.5%         | 10.0%          | 15%        | 18%        | 10%        | 0%       |     | -        |         | 2.5%         |        |
| 25.18  |                    | Dolomite, whether or not calcined or<br>sintered, including dolomite roughly<br>trimmed or merely cut, by sawing or<br>otherwise, into blocks or slabs of a<br>rectangular (including square) shape.  |          |              |              |          |    |          |              |              |         |          |              |                |            |            |            |          |     |          |         |              |        |
|        | 2510.10            |   |          |              |              |          |    |          | _            | _            |         | =0/      | 4 50/        | 10.00/         | 150/       | 1001       | -          |          |     |          |         | 0.50/        |        |
|        | 2518.10<br>2518.20 | <ul> <li>Dolomite not calcined or sintered</li> <li>Calcined or sintered dolomite</li> </ul>  | kg<br>ka |              |              |          |    |          | Free<br>Free | Free<br>Free |         | 5%<br>5% | 4.5%<br>4.5% | 10.0%<br>10.0% | 15%<br>15% | 18%<br>18% | Ex<br>Ex   |          |     |          |         | 2.5%<br>2.5% |        |
|        | 2310.20            |   | ку       |              |              |          |    |          | TIEE         | TIEE         |         | J 70     | т. Ј 70      | 10.0%          | 1370       | 10 70      |            |          |     |          |         | 2.370        | +      |
| 25.19  |                    | Natural magnesium carbonate<br>(magnesite); fused magnesia; dead-<br>burned (sintered) magnesia, whether<br>or not containing small quantities of<br>other oxides added before sintering;<br>other magnesium oxide, whether or<br>not pure. |          |              |              |          |    |          |              |              |         |          |              |                |            |            |            |          |     |          |         |              |        |
|        |                    |   |          |              |              |          |    |          |              |              |         |          |              |                |            |            |            |          |     |          |         |              |        |
|        | 2519.10            | - Natural magnesium carbonate (magnesite)   | kg       |              |              |          |    |          | Free         | Free         |         | Free     | Free         | Free           | Free       | 18%        | Ex         |          |     |          |         | 2.5%         |        |
|        | 2519.90            | - Other   | kg       |              |              |          |    |          | Free         | Free         |         | Free     | Free         | Free           | Free       | 18%        | 10%        | 6%       |     |          |         | 2.5%         |        |
|        |                    |   |          |              |              |          |    |          |              |              |         |          |              |                |            |            |            |          |     |          |         |              |        |
| 25.20  |                    | Gypsum; anhydrite; plasters<br>(consisting of calcined gypsum or<br>calcium sulphate) whether or not<br>coloured, with or without small<br>quantities of accelerators or retarders.   |          |              |              |          |    |          |              |              |         |          |              |                |            |            |            |          |     |          |         |              |        |
|        |                    |   |          |              |              |          |    |          | _            | _            |         | _        |              |                |            |            |            |          |     |          |         |              | Щ      |
|        | 2520.10<br>2520.20 | - Gypsum; anhydrite   | kg       |              | <b>Fra</b> - |          |    |          | Free         | Free         |         | Free     | Free         | Free           | Free       | 18%        | 10%<br>10% | 6%<br>6% |     | <b> </b> |         | 2.5%         | +      |
|        | 2520.20            | - Plasters  | kg       |              | Free         | <u> </u> |    | <u> </u> | Free         | Free         |         | Free     | Free         | Free           | Free       | 18%        | 10%        | 6%       |     |          |         | 2.5%         | ++     |
| 25.21  | 2521.00            | Limestone flux; limestone and other<br>calcareous stone, of a kind used for<br>the manufacture of lime or cement.   | kg       |              |              |          |    |          | Free         | Free         |         | Free     | Free         | Free           | Free       | 18%        | 10%        | 6%       |     |          |         | 2.5%         |        |

|        |            |    |   |      | ICL/ |    |    |    |    | Pre  | eferent | tial Du | ıty  |      |       | Gen  |     | P.   | AL   | Ce              | SS   | Excise  |      | S      |
|--------|------------|----|---|------|------|----|----|----|----|------|---------|---------|------|------|-------|------|-----|------|------|-----------------|------|---------|------|--------|
| HS Hdg | HS Code    |    | Description   | Unit | SLSI | AP | AD | BN | GТ | IN   | РК      | SA      | SF   | SD   | SG    | Duty | VAT | Gen  | SG   | GEN             | SG   | (S.P.D) | SSCL | C<br>L |
|        |            |    |   |      |      |    |    |    |    |      |         |         |      |      |       |      |     |      |      |                 |      |         |      | +      |
| 25.22  |            |    | Quicklime, slaked lime and hydraulic  |      |      |    |    |    |    |      |         |         |      |      |       |      |     |      |      |                 |      |         |      |        |
| -      |            |    | lime, other than calcium oxide and hydroxide of heading 28.25.  |      |      |    |    |    |    |      |         |         |      |      |       |      |     |      |      |                 |      |         |      |        |
|        | 2522.10    | _  | Ouicklime   | ka   |      |    |    |    |    | Free | Free    |         | Free | Free | Free  | Free | 18% | 10%  | 6%   |                 |      |         | 2.5% | +      |
|        | 2522.20    | 1_ | Slaked lime   | kg   |      |    |    |    |    | Free | Free    |         | Free | Free | Free  | Free | 18% | 10%  | 6%   |                 |      |         | 2.5% | +      |
|        | 2522.30    | -  | Hydraulic lime  | kg   |      |    |    |    |    | Free | Free    |         | Free | Free | Free  | Free | 18% | 10%  | 6%   |                 |      |         | 2.5% |        |
| 25.23  |            |    | Portland cement, aluminous cement,<br>slag cement, supersulphate cement<br>and similar hyudraulic cements,<br>whether or not coloured or in the form<br>of clinkers (+).                                    |      |      |    |    |    |    |      |         |         |      |      |       |      |     |      |      |                 |      |         |      |        |
|        |            |    |   |      |      |    |    |    |    |      |         |         |      |      |       |      |     |      |      |                 |      |         |      |        |
|        | 2523.10    | -  | Cement clinkers   | kg   |      |    |    |    |    | Free | Free    |         | Free | Free | Free  | Free | 18% | 7.5% | 6.0% |                 | Free |         | 2.5% | _      |
|        | 2523.21    |    | Portland cement :<br>White cement, whether or not artificially<br>coloured  | kg   |      |    |    |    |    | Free | Free    |         | Free | Free |       | Free | 18% | 10%  | 6%   | Rs4/=<br>per kg | 6%   |         | 2.5% | -      |
|        | 2523.29    |    | Other :   |      |      |    |    |    |    |      |         |         |      |      |       |      | 18% |      |      | регку           |      |         |      | +      |
|        | 2523.29.10 |    | Water-proof cement, boiler cement and   |      |      |    |    |    |    |      |         |         |      |      |       |      |     |      |      | Rs4/=           |      |         |      | +      |
|        |            |    | similar compositions  | kg   |      |    |    |    |    | Free | Free    |         | Free | Free |       | Free | 18% | 10%  | 6%   | per kg          | 6%   |         | 2.5% |        |
|        | 2523.29.20 |    | Other portland cement imported in<br>packings of 50 kg and below<br>Ordinary Portland Cement, Portland<br>limestone cement, Masonry Cement,<br>Blended hydraulic cement, Portland<br>Composite Cement       | kg   | S    |    |    |    |    | Free | Free    |         | Free | Free |       | Free | 18% | 10%  | 6%   | Rs7/=<br>per kg | 11%  |         | 2.5% |        |
|        | 2523.29.30 |    | Other portland cement imported in<br>packings of over 50 kg or in bulk<br>Ordinary Portland Cement, Portland<br>limestone cement, Masonry Cement,<br>Blended hydraulic cement, Portland<br>Composite Cement | kg   | s    |    |    |    |    | Free | Free    |         | Free | Free |       | Free | 18% | 10%  | 6%   | Rs4/=<br>per kg | 6%   |         | 2.5% |        |
|        | 2523.30    | -  | Aluminous cement  | kg   | S    |    |    |    |    | Free | Free    |         | Free | Free | Free  | Free | 18% | 10%  | 6%   |                 |      |         | 2.5% |        |
|        | 2523.90    | -  | Other hydraulic cements   | kg   | S    |    |    |    |    | Free | Free    |         | Free | Free | Free  | Free | 18% | 10%  | 6%   | Rs4/=<br>per kg | Free |         | 2.5% |        |
| 25.24  |            |    | Asbestos.   |      |      |    |    |    |    |      |         |         |      |      |       |      |     |      |      |                 |      |         |      |        |
| 23.27  |            |    |   |      |      |    |    |    |    |      |         |         |      |      |       |      |     |      |      |                 |      |         |      | +      |
|        | 2524.10    | -  | Crocidolite   | ka   | В    |    | 1  | 1  |    | Free | Free    |         | 5%   | 4.5% |       | 15%  | 18% | Ex   | 1    |                 |      |         | 2.5% | $\top$ |
|        | 2524.90    | -  | Other   | kg   |      |    | 1  |    |    |      |         |         | 2.70 |      | 1     |      |     |      | 1    |                 |      |         | 2.5% | 1      |
|        | 2524.90.10 |    | Other amphiboles  | kg   |      |    |    |    |    | Free | Free    |         | Free | Free | Free  | Free | 18% | Ex   | 1    |                 |      |         | 2.5% | T      |
|        | 2524.90.20 |    | Chrysotile  | kg   | L    |    |    |    |    | Free | Free    |         | Free | Free | Free  | Free | 18% | 10%  | 6%   |                 |      |         | 2.5% | T      |
|        | 2524.90.90 |    | Other   | kg   | L    |    |    |    |    | Free | Free    |         | Free | Free | Free  | Free | 18% | Ex   |      |                 |      |         | 2.5% | 1      |
| 25.25  |            |    | Mica, including splittings; mica waste.   |      |      |    |    |    |    |      |         |         |      |      |       |      |     |      |      |                 |      |         |      |        |
|        | 2525 10    | -  | Crudo mice and mice rited into chasts an  |      |      |    |    |    |    |      |         |         |      |      |       |      |     |      |      |                 |      |         |      | +      |
|        | 2525.10    | -  | Crude mica and mica rifted into sheets or<br>splittings   | kg   |      |    |    |    |    | Free | Free    |         | 5%   | 4.5% | 10.0% | 15%  | 18% | Ex   |      |                 |      |         | 2.5% |        |

|        |         |   |             |      | ICL/ |    |    |    |    | Pre  | ferent | tial Du | ty |      |       | Gen  |     | P   | AL | Ce  | SS | Excise  |      | S      |
|--------|---------|---|-------------|------|------|----|----|----|----|------|--------|---------|----|------|-------|------|-----|-----|----|-----|----|---------|------|--------|
| HS Hdg | HS Code |   | Description | Unit | SLSI | AP | AD | BN | GT | IN   | РК     | SA      | SF | SD   | SG    | Duty | VAT | Gen | SG | GEN | SG | (S.P.D) | SSCL | C<br>L |
|        |         |   |             |      |      |    |    |    |    |      |        |         |    |      |       |      |     |     |    |     |    |         |      |        |
|        | 2525.20 | - | Mica powder | kg   |      |    |    |    |    | Free | Free   |         | 5% | 4.5% | 10.0% | 15%  | 18% | 10% | 6% |     |    |         | 2.5% |        |
|        | 2525.30 | - | Mica waste  | kg   | L    |    |    |    |    | Free | Free   |         | 5% | 4.5% | 12.5% | 15%  | 18% | Ex  |    |     |    |         | 2.5% |        |

|         |            |   |  |      | ICL/ |      |    |    |    | Pre  | eferent | ial Du | ity  |      |       | Gen  |     | P.  | AL | Ce  | ess | Excise  |      | S       |
|---------|------------|---|--|------|------|------|----|----|----|------|---------|--------|------|------|-------|------|-----|-----|----|-----|-----|---------|------|---------|
| HS Hdg  | HS Code    |   | Description  | Unit | SLSI | АР   | AD | BN | GT | IN   | РК      | SA     | SF   | SD   | SG    | Duty | VAT | Gen | SG | GEN | SG  | (S.P.D) | SSCL | C<br>L  |
|         |            |   |  |      |      |      |    |    |    |      |         |        |      |      |       |      |     |     |    |     |     |         |      |         |
| 25.26   |            |   | Natural steatite, whether or not<br>roughly trimmed or merely cut, by<br>sawing or otherwise, into blocks or<br>slabs of a rectangular (including<br>square) shape; talc.  |      |      |      |    |    |    |      |         |        |      |      |       |      |     |     |    |     |     |         |      |         |
|         |            |   |  |      |      |      |    |    |    |      |         |        |      |      |       |      |     |     |    |     |     |         |      | -       |
|         | 2526.10    | - | Not crushed, not powdered  | kg   |      |      |    |    |    | Free | Free    |        | Free | Free | Free  | Free | 18% | 10% | 6% |     |     |         | 2.5% | T       |
|         | 2526.20    | - | Crushed or powdered  | kg   |      | Free |    |    |    | Free | Free    |        | Free | Free | Free  | Free | 18% | 10% | 6% |     |     |         | 2.5% | _       |
| [25.27] |            |   |  |      |      |      |    |    |    |      |         |        |      |      |       |      |     |     |    |     |     |         |      |         |
|         |            |   |  |      |      |      |    |    |    |      |         |        |      |      |       |      |     |     |    |     |     |         |      |         |
| 25.28   |            |   | Natural borates and concentrates<br>thereof (whether or not calcined), but<br>not including borates separated from<br>natural brine; natural boric acid<br>containing not more than 85% of<br>H <sub>3</sub> BO <sub>3</sub> . calculated on the dry weight. |      |      |      |    |    |    |      |         |        |      |      |       |      |     |     |    |     |     |         |      |         |
|         |            |   | , , , , , , , , , , , , , , , , , , ,  |      |      |      |    |    |    |      |         |        |      |      |       |      |     |     |    |     |     |         |      |         |
|         | 2528.00.10 |   | Natural sodium borates and concentrates thereof (whether or not calcined)  | kg   |      |      |    |    |    | Free | Free    |        | Free | Free | Free  | Free | 18% | Ex  |    |     |     |         | 2.5% |         |
|         | 2528.00.90 |   | Other  | kg   |      |      |    |    |    | Free | Free    |        | Free | Free | Free  | Free | 18% | Ex  |    |     |     |         | 2.5% | _       |
| 25.29   |            |   | Feldspar; leucite, nepheline and<br>nepheline syenite; fluorspar.  |      |      |      |    |    |    |      |         |        |      |      |       |      |     |     |    |     |     |         |      |         |
|         | 2529.10    | - | Feldspar :   |      |      |      |    |    | -  |      |         |        |      |      |       |      |     |     |    |     |     |         |      | +       |
|         | 2529.10.10 |   | Waste  | ka   | L    |      |    |    |    | Free | Free    |        | 5%   | 4.5% | 10.0% | 15%  | 18% | Ex  |    |     |     |         | 2.5% |         |
|         | 2529.10.90 |   | Other  | kg   |      |      |    |    |    | Free | Free    |        | 5%   | 4.5% | 10.0% | 15%  | 18% | 10% | 6% |     |     |         | 2.5% |         |
|         |            | - | Fluorspar:   |      |      |      |    |    |    |      |         |        |      |      |       |      |     |     |    |     |     |         |      |         |
|         |            |   | Containing by weight 97% or less of<br>calcium fluoride :  |      |      |      |    |    |    |      |         |        |      |      |       |      |     |     |    |     |     |         |      |         |
|         | 2529.21.10 |   | Waste  | kg   | L    |      |    |    |    | Free | Free    |        | 5%   | 4.5% | 10.0% | 15%  | 18% | Ex  |    |     |     |         | 2.5% | T       |
|         | 2529.21.90 |   | Other  | kg   |      |      |    |    |    | Free | Free    |        | 5%   | 4.5% | 10.0% | 15%  | 18% | Ex  |    |     |     |         | 2.5% |         |
|         | 2529.22    |   | Containing by weight more than 97% of<br>calcium fluoride  | kg   |      |      |    |    |    | Free | Free    |        | 5%   | 4.5% | 10.0% | 15%  | 18% | Ex  |    |     |     |         | 2.5% |         |
|         |            | - | Leucite; nepheline and nepheline syenite :   |      |      |      |    |    |    |      |         |        |      |      |       |      |     |     |    |     |     |         |      |         |
|         | 2529.30.10 |   | Waste  | kg   | L    |      | ļ  |    |    | Free | Free    |        | Free | Free | Free  | Free | 18% | Ex  |    |     |     |         | 2.5% | $\perp$ |
|         | 2529.30.90 |   | Other  | kg   | I    |      | 1  | 1  |    | Free | Free    |        | Free | Free | Free  | Free | 18% | 10% | 6% | I   | I   |         | 2.5% |         |

|        |            |   |  |      | ICL/ |    |    |    | Pre  | ferent | tial Du | ity  |      |      | Gen  |     | P   | AL | Ce  | ess | Excise  |      | S |
|--------|------------|---|--|------|------|----|----|----|------|--------|---------|------|------|------|------|-----|-----|----|-----|-----|---------|------|---|
| HS Hdg | HS Code    |   | Description  | Unit | SLSI | AD | BN | GT | IN   | РК     | SA      | SF   | SD   | SG   | Duty | VAT | Gen | SG | GEN | SG  | (S.P.D) | SSCL | L |
|        |            |   |  |      |      |    |    |    |      |        |         |      |      |      |      |     |     |    |     |     |         |      |   |
| 25.30  |            |   | Mineral substances not elsewhere<br>specified or included. |      |      |    |    |    |      |        |         |      |      |      |      |     |     |    |     |     |         |      |   |
|        |            |   |  |      |      |    |    |    |      |        |         |      |      |      |      |     |     |    |     |     |         |      |   |
|        | 2530.10    |   | Vermiculite, perlite and chlorites,<br>unexpanded          | kg   |      |    |    |    | Free | Free   |         | Free | Free | Free | Free | 18% | 10% | 6% |     |     |         | 2.5% |   |
|        | 2530.20    |   | Kieserite, epsomite (natural magnesium sulphates)          | kg   |      |    |    |    | Free | Free   |         | Free | Free | Free | Free | 18% | 10% | 6% |     |     |         | 2.5% |   |
|        |            | - | Other :  |      |      |    |    |    |      |        |         |      |      |      |      |     |     |    |     |     |         |      |   |
|        | 2530.90.10 |   | Natural arsenic sulphides                                  | kg   | L    |    |    |    | Free | Free   |         | Free | Free | Free | Free | 18% | Ex  |    |     |     |         | 2.5% |   |
|        | 2530.90.20 |   | Broken concrete  | kg   | L    |    |    |    | Free | Free   |         | Free | Free | Free | Free | 18% | Ex  |    |     |     |         | 2.5% |   |
|        | 2530.90.90 |   | Other  | kg   |      |    |    |    | Free | Free   |         | Free | Free | Free | Free | 18% | 10% | 6% |     |     |         | 2.5% |   |
| 1      |            |   |  |      |      |    |    |    |      |        |         |      |      |      |      |     |     |    |     |     |         |      |   |