Chapter 29

Organic chemicals

Notes.

1.- Except where the context otherwise requires, the headings of this Chapter apply only to :

(a) Separate chemically defined organic compounds, whether or not containing impurities;

(b) Mixtures of two or more isomers of the same organic compound (whether or not containing impurities), except mixtures of a cyclic hydrocarbon isomers (other than stereoisomers), whether or not saturated (Chapter 27);

(c) The products of headings 29.36 to 29.39 or the sugar ethers, sugar acetals and sugar esters, and their salts, of heading 29.40, or the products of heading 29.41 whether or not chemically defined;

(d) The products mentioned in (a), (b) or (c) above dissolved in water;

(e) The products mentioned in (a), (b) or (c) above dissolved in other solvents provided that the solution constitutes a normal and necessary method of putting up these products adopted solely for reasons of safety or for transport and that the solvent does not render the product particularly suitable for specific use rather than for general use;

(f) The products mentioned in (a), (b), (c), (d) or (e) above with an added stabiliser (including an anticaking agent) necessary for their preservation or transport;

(g) The products mentioned in (a), (b), (c), (d), (e) or (f) above with an added anti-dusting agent or a colouring or odoriferous substance or an emetic added to facilitate their identification or for safety reasons, provided that the additions do not render the product particularly suitable for specific use rather than for general use;

(h) The following products, diluted to standard strengths, for the production of azo dyes : diazonium salts, couplers used for these salts and diazotisable amines and their salts.

2.- This Chapter does not cover :

(a) Goods of heading 15.04 or crude glycerol of heading 15.20;

(b) Ethyl alcohol (heading 22.07 or 22.08);

(c) Methane or propane (heading 27.11);

(d) The compounds of carbon mentioned in Note 2 to Chapter 28;

(e) Immunological products of heading 30.02;

(f) Urea (heading 31.02 or 31.05);

(g) Colouring matter of vegetable or animal origin (heading 32.03), synthetic organic colouring matter, synthetic organic products of a kind used as fluorescent brightening agents or as luminophores (heading 32.04) or dyes or other colouring matter put up in forms or packings for retail sale (heading 32.12);

(h) Enzymes (heading 35.07);

(ij) Metaldehyde, hexamethylenetetramine or similar substances, put up in forms (for example, tablets, sticks or similar forms) for use as fuels, or liquid or liquefied-gas fuels in containers of a kind used for filling or refilling cigarette or similar lighters and of a capacity not exceeding 300 cm3 (heading 36.06);

(k) Products put up as charges for fire-extinguishers or put up in fire-extinguishing grenades, of heading 38.13; ink removers put up in packings for retail sale, of heading 38.24; or

(I) Optical elements, for example, of ethylenediamine tartrate (heading 90.01).

3.- Goods which could be included in two or more of the headings of this Chapter are to be classified in that one of those headings which occurs last in numerical order.

4.- In headings 29.04 to 29.06, 29.08 to 29.11 and 29.13 to 29.20, any reference to halogenated, sulphonated, nitrated or nitros ated derivatives includes a reference to compound derivatives, such as sulphohalogenated, nitrohalogenated, nitrosulphonated or nitrosulphohalogenated derivatives.

Nitro or nitroso groups are not to be taken as "nitrogen-functions" for the purposes of heading 29.29.

For the purposes of headings 29.11, 29.12, 29.14, 29.18 and 29.22, "oxygen-function", the characteristic organic oxygen-containing group of those respective headings, is restricted to the oxygen-functions referred to in headings 29.05 to 29.20.

5.- (A) The esters of acid-function organic compounds of sub-Chapters I to VII with organic compounds of these sub-Chapters are to be classified with that compound which is classified in the heading which occurs last in numerical order in these sub-Chapters.

(B) Esters of ethyl alcohol with acid-function organic compounds of sub-Chapters I to VII are to be classified in the same heading as the corresponding acid-function compounds.

(C)Subject to Note 1 to Section VI and Note 2 to Chapter 28 :

(1) Inorganic salts of organic compounds such as acid-, phenol- or enol-function compounds or organic bases, of sub-Chapters I to X or heading 29.42, are to be classified in the heading appropriate to the organic compound;

(2) Salts formed between organic compounds of sub-Chapters I to X or heading 29.42 are to be classified in the heading appropriate to the base or to the acid (including phenol- or enolfunction compounds) from which they are formed, whichever occurs last in numerical order in the Chapter; and

(3) Co-ordination compounds, other than products classifiable in sub-Chapter XI or heading 29.41, are to be classified in the heading which occurs last in numerical order in Chapter 29, among those appropriate to the fragments formed by "cleaving" of all metal bonds, other than metal-carbon bonds.

(D) Metal alcoholates are to be classified in the same heading as the corresponding alcohols except in the case of ethanol (heading 29.05).

(E) Halides of carboxylic acids are to be classified in the same heading as the corresponding acids.

6.- The compounds of headings 29.30 and 29.31 are organic compounds the molecules of which contain, in addition to atoms of hydr ogen, oxygen or nitrogen, atoms of other non-metals or of metals (such as sulphur, arsenic or lead) directly linked to carbon atoms.

Heading 29.30 (organo-sulphur compounds) and heading 29.31 (other organo-inorganic compounds) do not include sulphonated or halogenated derivatives (including compound derivatives) which, apart from hydrogen, oxygen and nitrogen, only have directly linked to carbon the atoms of sulphur or of a halogen which give them their nature of sulphonated or halogenated derivatives (or compound derivatives).

7.- Headings 29.32, 29.33 and 29.34 do not include epoxides with a three-membered ring, ketone peroxides, cyclic polymers of aldehydes or of thioaldehydes, anhydrides of polybasic carboxylic acids, cyclic esters of polyhydric alcohols or phenols with polybasic acids, or imides of polybasic acids.

These provisions apply only when the ring-position hetero-atoms are those resulting solely from the cyclising function or functions here listed.

8.- For the purposes of heading 29.37 :

(a) the term "hormones" includes hormone-releasing or hormone-stimulating factors, hormone inhibitors and hormone antagonists (anti-hormones);

(b) the expression "used primarily as hormones" applies not only to hormone derivatives and structural analogues used primarily for their hormonal effect, but also to those derivatives and structural analogues used primarily as intermediates in the synthesis of products of this heading.

Subheading Notes.

1.- Within any one heading of this Chapter, derivatives of a chemical compound (or group of chemical compounds) are to be classified in the same subheading as that compound (or group of compounds) provided that they are not more specifically covered by any other subheading and that there is no residual subheading named "Other" in the series of subheadings concerned.

2.- Note 3 to Chapter 29 does not apply to the subheadings of this Chapter.

| | | | | | ICL/ | | | | | Prefer | ential | Duty | | | | Gen | | P | AL | | Excise | | S |
|--------|------------|---|--|------|------|------|----|----|----|--------|--------|------|------|------|------|------|-----|-----|----|------|---------|------|--------|
| HS Hdg | HS Code | | Description | Unit | SLSI | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | I HYDROCARBONS AND THEIR HALOGENATED, SULPHONATED, NITRATED OR NITROSATED DERIVATIVES | | | | | | | | | | | | | | | | | | | | |
| 29.01 | | | Acyclic hydrocarbons. | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | 2901.10 | - | Saturated | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | 4 |
| | | - | Unsaturated : | | | | | | | | | | | | | | | | | | | | |
| | 2901.21 | | Ethylene | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2901.22 | | Propene (propylene) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2901.23 | | Butene (butylene) and isomers thereof | kg | | Free | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | _ |
| | 2901.24 | | Buta-1, 3-diene and isoprene | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | _ |
| | 2901.29 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | - |
| 29.02 | | | Cyclic hydrocarbons. | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | - | Cyclanes, cyclenes and cycloterpenes : | | | | | | | | | | | | | | | | | | | | |
| | 2902.11 | | Cyclohexane | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2902.19 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2902.20 | - | Benzene | kg | | Free | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2902.30 | - | Toluene | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | - | Xylenes : | | | | | | | | | | | | | | | | | | | | |
| | 2902.41 | | o-Xylene | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2902.42 | | <i>m</i> -Xylene | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2902.43 | | <i>p</i> -Xylene | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2902.44 | | Mixed xylene isomers | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2902.50 | - | Styrene | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2902.60 | - | Ethylbenzene | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2902.70 | - | Cumene | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2902.90 | - | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | ـــــ |
| 29.03 | | | Halogenated derivatives of hydrocarbons. | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | L | | | | | | 4 |
| | | - | Saturated chlorinated derivatives of acyclic hydrocarbons : | | | | | | | | | | | | | | | | | | | | |
| | 2903.11 | | Chloromethane (methyl chloride) and | | | | | | | _ | - | | _ | _ | - | _ | | | | | | | 1 |
| | | | chloroethane (ethyl chloride) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.12 | | Dichloromethane (methylene chloride) | kg | 1 | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | İ | | 2.5% | 1 |
| | 2903.13 | | Chloroform (trichloromethane) | ka | | | 1 | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | 1 | | 2.5% | 1 |
| | 2903.14 | | Carbon tetrachloride | kg | В | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | İ | | 2.5% | 1 |
| | 2903.15 | | Ethylene dichloride (ISO) (1,2- | kg | B | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | 1 |
| | | | Other : | .9 | | 1 | | | | | | | | | | | | | | | | | 1 |
| | 2903.19.10 | | 1,1,1-Trichloroethane (methyl chloroform) | kg | В | 1 | - | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | 1 | 1 | | 2.5% | 1 |
| | 2903.19.90 | | Other | kg | | 1 | - | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | 1 | | 2.5% | 1 |
| | | - | Unsaturated chlorinated derivatives of acyclic | | | 1 | - | | | | 1.00 | | | | | | | | | 1 | | | 1 |
| | | | hydrocarbons : | | | | | | | | | | | | | | | | | | | | 1 |

| | | | | | ICL/ | | | | I | Prefer | ential | Duty | | | | Gen | | P/ | AL | | Excise | | S |
|--------|------------|---|---|----------|------|----|----|----|----|--------|--------|------|------|------|--------------|--------------|------|-----|-----|------|---------|-------|--------|
| HS Hdg | HS Code | | Description | Unit | SLSI | АР | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | 2903.21 | | Vinyl chloride (chloroethylene) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.22 | | Trichloroethylene | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | _ |
| | 2903.23 | | Tetrachloroethylene (perchloroethylene) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | | | Other : | | | | | | | - | - | | _ | - | - | _ | 100/ | | | | | 0.50/ | _ |
| | 2903.29.10 | | Dichloropropene | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | 20/ | | | 2.5% | _ |
| | 2903.29.90 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2903.39 | - | Saturated flourinated derivatives of acyclic hydrocarbons: | | | | | | | | | | | | | | | | | | | | |
| | 2903.41 | | Trifluoromethane (HFC-23) | ka | 1 | - | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | - | 2.5% | _ |
| | 2903.41 | | Difluoromethane (HFC - 32) | kg kg | | | | | | Free | Free | | Free | Free | Free Free | Free Free | 18% | 5% | 2% | | - | 2.5% | + |
| | 2903.42 | | Flouromethane (HFC - 41), 1,2-difluoroethane | ку | L | | | | | riee | Fiee | | riee | riee | riee | riee | 10% | 5% | Z%0 | | | 2.5% | + |
| | 2903.43 | | (HFC -152) and 1,1-difluoroethane (HFC - 152a) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.44 | | Pentafluoroethane (HFC -125), 1,1,1- trifluoroethane (HFC-143a) and 1,1,2- trifluoroethane (HFC -143) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.45 | | 1,1,1,2-Tetrafluoroethane (HFC-134a) and 1,1,2,2- tetrafluoroethane (HFC-134) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.46 | | 1,1,1,2,3,3,3-Heptafluoropropane (HFC- 227ea), 1,1,1,2,2,3-hexafluoropropane (HFC- 236cb), 1,1,1,2,3,3-hexafluoropropane (HFC- 236ea) and 1,1,1,3,3,3-hexafluoropropane (HFC-236fa) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.47 | | 1,1,1,3,3-Pentafluoropropane(HFC-245fa) and 1,1,2,2,3-pentafluoropropane(HFC- 245ca) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.48 | | 1,1,1,3,3-Pentafluorobutane(HFC-365mfc) and 1,1,1,2,2,3,4,5,5,5- decafluoropentane(HFC-43-10mee) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | | Other : | | | | | | | _ | _ | | | _ | _ | _ | | | | | | | _ |
| | 2903.49.10 | | Fluoroethane (HFC-161) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | - | 2.5% | _ |
| | 2903.49.90 | | Other Unsaturated fluorinated derivatives of acyclic hydrocarbons : | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | 2903.51 | | 2,3,3,3-Tetrafluoropropene (HFO-1234yf), 1,3,3,3-tetrafluoropropene (HFO-1234ze) and (Z)-1,1,1,4,4,4-hexafluoro-2-butene (HFO- 1336mzz) Other: | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.59.10 | | 1,1,3,3,3-Pentafluoro-2-(trifluoromethyl)-1- propene | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | T |
| | 2903.59.90 | | Other Brominated or iodinated derivatives of acyclic | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | Ŧ |
| | 2903.61 | | hydrocarbons: Methyl bromide (bromomethane) | ka | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | 2903.61 | | Ethylene dibromide (ISO) (1,2- | ĸy | | | | | | | nee | | | nee | nee | nee | | | | | | | + |
| | 2303.02 | | | kg | L | I | 1 | 1 | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | 1 | | 2.5% | |

| | | | | | ICL/ | | | | I | Prefer | ential | Duty | | | | Gen | | P/ | AL . | | Excise | | |
|--------|------------|---|---|------|------|----|----------|----|----|--------|--------|------|------|------|------|------|-------|------|------|------|---------|--------|---|
| IS Hdg | HS Code | | Description | Unit | SLSI | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | |
| | | | | | | | | | | - | _ | | _ | _ | _ | _ | 100/ | =0/ | 201 | | | 0.50/ | _ |
| | 2903.69 | | Other | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | | - | Halogenated derivatives of acyclic | | | | | | | | | | | | | | | | | | | | |
| | | | hydrocarbons containing two or more | | | | | | | | | | | | | | | | | | | | |
| | 2002 74 | | different halogens : | | l . | | | | | - | - | | - | - | - | - | 100/ | 50/ | 20/ | | | 2 50/ | _ |
| | 2903.71 | | Chlorodifluoromethane(HCFC-22) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | - |
| | 2903.72 | | Dichlorotrifluoroethanes (HCFC-123) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | - |
| | 2903.73 | | Dichlorofluoroethanes (HCFC-141,141b) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | - |
| | 2903.74 | | Chlorodifluoroethanes (HCFC-142,142b) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | - |
| | 2903.75 | | Dichloropentafluoropropanes (HCFC- 225,225ca,225cb) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.76 | | Bromochlorodifluoromethane(Halon-1211), bromotrifluoromethane(Halon-1301) and | kq | В | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | | dibromotetrafluoroethane(Halon-2402) | ĸġ | D | | | | | mee | Thee | | Thee | Thee | Thee | Thee | 10 /0 | 570 | 2 /0 | | | 2.570 | |
| | | | Other, perhalogenated only with fluorine and chlorine : | | | | | | | | | | | | | | | | | | | | |
| | | | Methane perhalogenated only with fluorine and chlorine : | | | | | | | | | | | | | | | | | | | | |
| | 2903.77.11 | | Chloro-fluoro-methane | kg | 1 | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.77.12 | | Chloro-trifluoro-methane | ka | В | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.77.12 | | Dichloro-fluoro-methane | kg | I | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | - |
| | 2903.77.14 | | Dichloro-difluoro-methane | ka | В | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.77.15 | | Trichloro-fluoro-methane | ka | B | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | | Ethane perhalogenated with one or two chlorine atoms respectively, and one or more fluorine atoms: | | | | | | | | | | | | | | | | | | | | |
| | 2903.77.21 | | Chloro-fluoro-ethane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.77.22 | | Chloro- trifluoro-ethane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.77.23 | | Chloro-tetrafluoro-ethane | kg | Ē | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.77.24 | | Chloro-pentafluoro-ethane | kg | В | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.77.25 | | Dichloro-difluoro-ethane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.77.26 | | Dichloro-tetrafluoro-ethane | kg | В | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | | Ethane perhalogenated with three or more chlorine atoms respectively, and one or more fluorine atoms: | | | | | | | | | | | | | | | 0.00 | 270 | | | 21070 | |
| | 2903.77.31 | | Trichloro-fluoro-ethane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.77.32 | | Trichloro-difluoro-ethane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.77.33 | | Trichloro-trifluoro-ethane | kg | В | | | | | Free | Free | - | Free | Free | Free | Free | 18% | 5% | 2% | 1 | 1 | 2.5% | |
| | 2903.77.34 | | Tetrachloro-fluoro-ethane | kg | Ľ | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | 1 | 2.5% | |
| | 2903.77.35 | | Tetrachloro-difluoro-ethane | kg | В | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.77.36 | | Pentachloro-fluoro-ethane | ka | B | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 270017100 | | Propane perhalogenated only with one | Ng | | | | | | | | | | | | | 1070 | 0.10 | 270 | | | 2.0 /0 | |
| | 2903.77.41 | | Chloro-fluoro-propane | kg | 1 | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.77.41 | | Chloro-difluoro-propane | kg | 1 | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | 1 | | 2.5% | - |
| | 2903.77.42 | | Chloro-trifluoro-propane | ka | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | 1 | | 2.5% | - |
| | 2903.77.43 | | Chloro-tetrafluoro-propane | ka | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | 1 | | 2.5% | - |
| | 2903.77.45 | | Chloro-pentafluoro-propane | kg | 1 | | <u> </u> | | | Free | Free | - | Free | Free | Free | Free | 18% | 5% | 2% | 1 | | 2.5% | |
| | 2903.77.46 | | Chloro-hexafluoro-propane | ka | 1 | | <u> </u> | | | Free | Free | - | Free | Free | Free | Free | 18% | 5% | 2% | 1 | | 2.5% | |
| | 2903.77.47 | | Chloro-heptafluoro-propane | ka | B | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | - |

| | | | | | ICL/ | | | | I | Prefer | ential | Duty | | | | Gen | | P | AL | | Excise | | S |
|--------|------------|--|--|----------|----------|----------|----|----|----------|--------|--------|------|------|------|------|------|------|-------------|-----|------|---------|-------|---|
| HS Hdg | HS Code | | Description | Unit | SLSI | АР | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C |
| | | | | | | | | | | | | | | | | | | | | | | | T |
| | | | Propane perhalogenated only with two | | | | | | | | | | | | | | | | | | | | |
| | | | chlorine atoms and one or more fluorine | | | | | | | | | | | | | | | | | | | | |
| | | | atoms: | | | | | | | | | | | | | | | | | | | | |
| | 2903.77.51 | | Dichloro-fluoro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% |) | | 2.5% | |
| | 2903.77.52 | | Dichloro-difluoro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% |) | | 2.5% | |
| | 2903.77.53 | | Dichloro-trifluoro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% |) | | 2.5% | |
| | 2903.77.54 | | Dichloro-tetrafluoro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.77.55 | | Dichloro-pentafluoro-propane | kg | В | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% |) | | 2.5% | |
| | 2903.77.56 | | Dichloro-hexafluoro-propane | kg | В | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | | | | 2.5% | |
| | | | Propane perhalogenated only with three or | | | | | | | | | | | | | | | | | | | | |
| | | | four chlorine atoms respectively, and one or | | | | | | | | | | | | | | | | | | | | |
| | | | more fluorine atoms: | | | | | | | | | | | | | | | | | | | | |
| | 2903.77.61 | | Trichloro-fluoro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% |) | | 2.5% | |
| | 2903.77.62 | | Trichloro-difluoro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.77.63 | | Trichloro-trifluoro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.77.64 | | Trichloro-tetrafluoro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2903.77.65 | | Trichloro-pentafluoro-propane | kg | В | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.77.66 | | Tetrachloro-fluoro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.77.67 | | Tetrachloro-difluoro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2903.77.68 | | Tetrachloro-trifluoro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2903.77.69 | | Tetrachloro-tetrafluoro-propane | kg | В | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% |) | | 2.5% | |
| | | | Propane perhalogenated only with five or | | | | | | | | | | | | | | | | | | | | |
| | | | more chlorine atoms respectively, and one or | | | | | | | | | | | | | | | | | | | | |
| | | | more fluorine atoms: | | | | | | | | | | | | | | | | | | | | |
| | 2903.77.71 | | Pentachloro-fluoro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.77.72 | | Pentachloro-difluoro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2903.77.73 | | Pentachloro-trifluoro-propane | kg | В | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2903.77.74 | | Hexachloro-fluoro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2903.77.75 | | Hexachloro-difluoro-propane | kg | В | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2903.77.76 | | Heptachloro-fluoro-propane | kg | В | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% |) | | 2.5% | _ |
| | 2903.77.80 | | Other hydrocarbons with more than three | | | | | | | _ | _ | | _ | _ | _ | _ | | | | | | | |
| | | | carbon atoms, perhalogenated only with | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% |) | | 2.5% | |
| | | | chlorine and one or more fluorine atoms | | | | | | | | | | | | | | | | | | | | _ |
| | | | Other perhalogenated derivatives : | | | | | | | | | | | | | | | | | | | | |
| | | | Methane perhalogenated with bromine and | | | | | | | | | | | | | | | | | | | | |
| | | | chlorine only: | | _ | | | | | | | | | _ | | | | | | | | | _ |
| | 2903.78.11 | | Bromo-chloro-methane | kg | В | | | | | Free | Free | | Free | | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2903.78.12 | | Bromo-dichloro -methane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2903.78.13 | | Bromo-trichloro -methane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2903.78.14 | | Dibromo-chloro-methane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2903.78.15 | | Dibromo-dichloro-methane | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | 2903.78.16 | | Tribromo-chloro-methane | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% |) | | 2.5% | + |
| | | | Ethane perhalogenated with one bromine | | | | | | | | | | | | | | | | | | 1 | | |
| | 2002 70 20 | | atom and one or more chlorine atoms: | <u> </u> | <u> </u> | | | | | _ | - | | - | _ | | - | 1001 | F 0/ | 201 | | | 0 =0/ | + |
| | 2903.78.21 | | Bromo-chloro-ethane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | 2903.78.22 | | Bromo-dichloro-ethane | kg | L L | <u> </u> | | | <u> </u> | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | 2903.78.23 | | Bromo-trichloro-ethane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2903.78.24 | | Bromo-tetrachloro-ethane | kg | L L | I | L | L | I | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% |) | | 2.5% | |

| | | | | ICL/ | | | | | Prefer | ential | Duty | | | | Gen | | P/ | AL | - | | Excise | | S |
|--------|------------|---|------|------|----|----|----------|----------|--------|--------|----------|------|------|------|------|-----|-----|----|----|------|--------------|------|--------|
| HS Hdg | HS Code | Description | Unit | SLSI | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | | | | | | | | | | | | | 1 |
| | 2903.78.25 | Bromo-pentachloro-ethane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | 2% | | | 2.5% | T |
| | | Ethane perhalogenated with two or more | | | | | | | | | | | | | | | | | | | | | Τ |
| | | bromine atoms respectively, and one or more | | | | | | | | | | | | | | | | | | | | | |
| | | chlorine atoms: | | | | | | | | | | | | | | | | | | | | | |
| | 2903.78.31 | Dibromo-chloro-ethane | kg | L | | | | | Free | Free | | Free | | Free | Free | 18% | 5% | 2% | | | | 2.5% | |
| | 2903.78.32 | Dibromo-dichloro-ethane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | | 2.5% | |
| | 2903.78.33 | Dibromo-trichloro-ethane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | - | | | 2.5% | |
| | 2903.78.34 | Dibromo-tetrachloro-ethane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | | 2.5% | _ |
| | 2903.78.35 | Tribromo-chloro-ethane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | | 2.5% | |
| | 2903.78.36 | Tribromo-dichloro-ethane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | - | | | 2.5% | _ |
| | 2903.78.37 | Tribromo-trichloro-ethane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | 2% | | | 2.5% | _ |
| | 2903.78.38 | Tetrabromo-chloro-ethane and Tetrabromo- | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | 2% | | | 2.5% | |
| | | dichloro-ethane | | | | | | | | | | | | | | | | _ | - | | | | _ |
| | 2903.78.39 | Pentabromo-chloro-ethane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | 2% | | | 2.5% | _ |
| | | Propane perhalogenated with one bromine | | | | | | | | | | | | | | | | | | | | | |
| | | atom and one or more chlorine atoms: | | | | | | | | | | | | | | | | | | | | | _ |
| | 2903.78.41 | Bromo-chloro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | - | | | 2.5% | |
| | 2903.78.42 | Bromo-dichloro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | | 2.5% | |
| | 2903.78.43 | Bromo-trichloro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | | 2.5% | _ |
| | 2903.78.44 | Bromo-tetrachloro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | | 2.5% | |
| | 2903.78.45 | Bromo-pentachloro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | - | | | 2.5% | _ |
| | 2903.78.46 | Bromo-hexachloro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | | 2.5% | _ |
| | 2903.78.47 | Bromo-heptachloro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | 2% | | | 2.5% | _ |
| | | Propane perhalogenated with two bromine | | | | | | | | | | | | | | | | | | | | | |
| | | atoms and one or more chlorine atoms: | | | | | | | | | | | | | | | | | | | | | |
| | 2903.78.51 | Dibromo-chloro-propane (DBCP) | kg | L | | | | | Free | Free | | Free | | Free | Free | 18% | 5% | 2% | | | | 2.5% | _ |
| | 2903.78.52 | Dibromo-dichloro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | - | | | 2.5% | _ |
| | 2903.78.53 | Dibromo-trichloro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | - | | | 2.5% | _ |
| | 2903.78.54 | Dibromo-tetrachloro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | | 2.5% | _ |
| | 2903.78.55 | Dibromo-pentachloro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | - | | | 2.5% | _ |
| | 2903.78.56 | Dibromo-hexachloro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | 2% | | | 2.5% | _ |
| | | Propane perhalogenated with three or four | | | | | | | | | | | | | | | | | | | | | |
| | | bromine atoms respectively, and one or more | | | | | | | | | | | | | | | | | | | | | |
| | | chlorine atoms: | | | | | | | | | | | | | | | | | | | | | _ |
| | 2903.78.61 | Tribromo-chloro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | - | | | 2.5% | _ |
| | 2903.78.62 | Tribromo-dichloro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | | 2.5% | _ |
| | 2903.78.63 | Tribromo-trichloro-propane | kg | L | | + | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | | 2.5% | 4 |
| | 2903.78.64 | Tribromo-tetrachloro-propane | kg | L | | | | | Free | Free | | Free | | Free | Free | 18% | 5% | 2% | - | | | 2.5% | + |
| | 2903.78.65 | Tribromo-pentachloro-propane | kg | L | | + | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | - | | | 2.5% | 4 |
| | 2903.78.66 | Ttetrabromo-chloro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | - | | | 2.5% | + |
| | 2903.78.67 | Tetrabromo-dichloro-propane | kg | L | | | | <u> </u> | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | | 2.5% | + |
| | 2903.78.68 | Tetrabromo-trichloro-propane | kg | L | | | <u> </u> | <u> </u> | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | - | | ├ ─── | 2.5% | + |
| | 2903.78.69 | Tetrabromo-tetrachloro-propane | kg | L | | | I | I | Free | Free | <u> </u> | Free | Free | Free | Free | 18% | 5% | 2% | 2% | | | 2.5% | 1 |

| | | | | | | | | | Prefer | ential | Duty | | | | Gen | | P/ | AL | | Excise | | s |
|--------|------------|---|------|--------------|----|----|----|----|--------|--------|------|------|------|------|------|-----|-----|----|------|---------|------|--------|
| HS Hdg | HS Code | Description | Unit | ICL/ SLSI | АР | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | Propane perhalogenated with five or more bromine atoms respectively, and one or more chlorine atoms: and other hydrocarbons containing four or more carbon atoms respectively, perhalogenated only with bromine and chlorine : | | | | | | | | | | | | | | | | | | | | |
| | 2903.78.71 | Pentabromo-chloro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.78.72 | Pentabromo-dichloro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.78.73 | Pentabromo-trichloro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.78.74 | Hexabromo-chloro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.78.75 | Hexabromo-dichloro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.78.76 | Heptabromo-chloro-propane | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.78.77 | Other hydrocarbons containing four or more carbon atoms respectively, perhalogenated only with bromine and chlorine : | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | Other hydrocarbons perhalogenated only with bromine and fluorine: | | | | | | | | | | | | | | | | | | | | |
| | 2903.78.81 | Derivatives of methane with one, two or three bromine atoms respectively, and one or more fluorine atoms, the following : Bromo- fluoro-methane, Bromo-difluoro- methane,Bromo-trifluoro-methane,Dibromo- fluoro-methane,Dibromo-difluoro- methane,Tribromo-fluoro-methane. | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | Bromo-fluoro-methane | kg | В | | | | | | | | | | | | | | | | | | |
| | | Bromo-difluoro-methane | ka | B | | | | | | | | | | | | | | | | | | |
| | | Bromo-trifluoro-methane | ka | L | | | | | | | | | | | | | | | | | | |
| | | Dibromo-fluoro-methane | ka | В | | | | | | | | | | | | | | | | | | |
| | | Dibromo-difluoro-methane | kg | L | | | | | | | | | | | | | | | | | | |
| | | Tribromo-fluoro-methane | ka | L | | | | | | | | | | | | | | | | | | |
| | 2903.78.82 | Derivatives of ethane, with one bromine atom and one or more fluorine atoms, namely: Bromo-fluoro-ethane,Bromo-difluoro- ethane,Bromo-trifluoro-ethane,Bromo- tetrafluoro-ethane,Bromo-pentafluoro-ethane. | kg | | | | | | Free | Free | | | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |

| | | | | | ICL/ | | | | | Prefer | ential | Duty | | | | Gen | | P | AL | | Excise | | S |
|--------|------------|--|---|----------|------|----|----|----|----|--------|--------|------|------|------|------|------|-----|-----|-----|------|---------|------|--------|
| HS Hdg | HS Code | | Description | Unit | SLSI | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Bromo-pentafluoro-ethane | ka | L | | | | | | | | | | | | | | | | | | - |
| | | | Bromo-fluoro-ethane | ka | В | | | | | | | | | | | | | | | | | | |
| | | | Bromo-difluoro-ethane | ka | В | | | | | | | | | | | | | | | | | 2.5% | |
| | | | Bromo-trifluoro-ethane | kg | В | | | | | | | | | | | | | | | | | | |
| | | | Bromo-tetrafluoro-ethane | kg | В | | | | | | | | | | | | | | | | | | |
| | 2903.78.83 | | Derivatives of ethane, with two bromine | | | | | | | | | | | | | | | | | | | | |
| | | | atoms and one or more fluorine atoms, | | | | | | | | | | | | | | | | | | | | |
| | | | namely:Dibromo-fluoro-ethane,Dibromo- | kg | | | | | | | | | | | | | | | 2% | | | | |
| | | | difluoro-ethane,Dibromo-trifluoro- | | | | | | | | | | | | | | | | | | | | |
| | | | ethane, Dibromo-tetrafluoro-ethane. | | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | | | | 2.5% | |
| | | | Dibromo-fluoro-ethane | kg | В | | | | | | | | | | | | | | | | | | |
| | | | Dibromo-difluoro-ethane | kg | В | | | | | | | | | | | | | | | | | | |
| | | | Dibromo-trifluoro-ethane | kg | В | | | | | | | | | | | | | | | | | | |
| | | | Dibromo-tetrafluoro-ethane | kg | L | | | | | | | | | | | | | | | | | | |
| | 2903.78.84 | | Other derivatives of ethane with three or | | | | | | | | | | | | | | | | | | | | T |
| | | | more bromine atoms and one or more | | | | | | | | | | | | | | | | | | | | |
| | | | fluorine atoms, namely: Tribromo-fluoro- | | | | | | | | | | | | | | | | | | | | |
| | | | ethane, Tribromo-difluoro-ethane, Tribromo- | kg | | | | | | | | | | | | | | | 2% | | | | |
| | | | trifluoro-ethane, Tetrabromo-fluoro- | 5 | | | | | | | | | | | | | | | | | | | |
| | | | ethane,Tetrabromo-difluoro- | | | | | | | | | | | | | | | | | | | | |
| | | | ethane,Pentabromo-fluoro-ethane. | | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | | | | 2.5% | |
| | | | Tribromo-fluoro-ethane | ka | В | | | | | | | | | | | | | | | | | | |
| | | | Tribromo-difluoro-ethane | kg | B | | | | | | | | | | | | | | | | | | |
| | | | Tribromo-trifluoro-ethane | kg | ī | | | | | | | | | | | | | | | | | | |
| | | | Tetrabromo-fluoro-ethane | kg | B | | | | | | | | | | | | | | | | | | |
| | | | Tetrabromo-difluoro-ethane | kg | L | | | | | | | | | | | | | | | | | | |
| | | | Pentabromo-fluoro-ethane | ka | L | | | | | | | | | | | | | | | | | | |
| | 2903.78.85 | | Derivatives of propane, with one bromine | | | | | | | | | | | | | | | | | | | | |
| | | | atom and one or more fluorine atoms, | | | | | | | | | | | | | | | | | | | | |
| | | | namely:Bromo-fluoro-propane,Bromo-difluoro- | | | | | | | | | | | | | | | | | | | | |
| | | | propane, Bromo-trifluoro-propane, Bromo- | kg | | | | | | | | | | | | | | | 2% | | | | |
| | | | tetrafluoro-propane,Bromo-pentafluoro- | Ng | | | | | | | | | | | | | | | 270 | | | | |
| | | | propane,Bromo-hexafluoro-propane,Bromo- | | | | | | | | | | | | | | | | | | | | |
| | | | heptafluoro-propane. | | | | | | | _ | _ | | _ | _ | _ | _ | | | | | | | |
| | | | Bromo-fluoro-propane | kg | В | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | | | | 2.5% | |
| | | | Bromo-difluoro-propane | kg | B | | | | | 1 | | | | | | | | | | | | | |
| | | | Bromo-trifluoro-propane | kg | B | | | | | 1 | | | | | | | | | | | | | |
| | | | Bromo-tetrafluoro-propane | kg | B | | | | | 1 | | | | | | | | | | | | | |
| | | | Bromo-pentafluoro-propane | kg | B | | | 1 | | | | | | | | | | | | | | | |
| | | | Bromo-hexafluoro-propane | kg kg | B | | | 1 | | | | | | | | | | | | | | | |
| | | | Bromo-heptafluoro-propane | kg ka | | | | 1 | | 1 | | | | | | | | | | - | | | |

| | | | | ICL/ | | | | | Prefer | ential | Duty | | | | Gen | | P/ | AL | | Excise | | S |
|--------|------------|--|------|--------|----|----|----|----|--------|--------|------|------|------|------|------|-------|-----|-----|------|---------|--------|--------|
| HS Hdg | HS Code | Description | Unit | SLSI | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | | | | | | | | | | | | _ |
| | 2903.78.86 | Derivatives of propane, with two bromine | | | | | | | | | | | | | | | | | | | | - |
| | | atoms and one or more fluorine atoms, | | | | | | | | | | | | | | | | | | | | |
| | | namely:Dibromo-fluoro-propane,Dibromo- | | | | | | | | | | | | | | | | | | | | |
| | | difluoro-propane, Dibromo-trifluoro- | kg | | | | | | | | | | | | | 2% | | | | | | |
| | | propane, Dibromo-tetrafluoro- | | | | | | | | | | | | | | | | | | | | |
| | | propane, Dibromo-pentafluoro- | | | | | | | | | | | | | | | | | | | | |
| | | propane.Dibromo-hexafluoro-propane. | | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | | | | 2.5% | |
| | | Dibromo-fluoro-propane | kg | В | | | | | | | | | | | | | | | | | | |
| | | Dibromo-difluoro-propane | kg | В | | | | | | | | | | | | | | | | | | |
| | | Dibromo-trifluoro-propane | kg | В | | | | | | | | | | | | | | | | | | |
| | | Dibromo-tetrafluoro-propane | kg | В | | | | | | | | | | | | | | | | | | |
| | | Dibromo-pentafluoro-propane | kg | В | | | | | | | | | | | | | | | | | | |
| | | Dibromo-hexafluoro-propane. | ka | L | | | | | | | | | | | | | | | | | | |
| | 2903.78.87 | Derivatives of propane, with three bromine | Ng | _ | | | | | | | | | | | | | | | | | | - |
| | 2500170107 | atoms and one or more fluorine atoms, | | | | | | | | | | | | | | | | | | | | |
| | | namely:Tribromo-fluoro-propane,Tribromo- | | | | | | | | | | | | | | | | | | | | |
| | | difluoro-propane, Tribromo-trifluoro- | kg | | | | | | | | | | | | | | | 2% | | | | |
| | | propane, Tribromo-tetrafluoro-propane, | | | | | | | | | | | | | | | | | | | | |
| | | Tribromo-pentafluoro-propane. | | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | | | | 2.5% | |
| | | | l.e. | D | | | | | THEE | Thee | | TICC | TICC | TICC | nee | 10 /0 | 570 | | | | 2.570 | |
| | | Tribromo-fluoro-propane Tribromo-difluoro-propane | kg | B | | | | | | | | | | | | | | | | | | |
| | | | kg | | | | | | | | | | | | | | | | | | | |
| | | Tribromo-trifluoro-propane | kg | B | | | | | | | | | | | | | | | | | | |
| | | Tribromo-tetrafluoro-propane Tribromo-pentafluoro-propane | kg | В I | | | | | | | | | | | | | | | | | | |
| | 2903.78.88 | | kg | L | | | | | | | | | | | | | | | | | | |
| | 2903.78.88 | Derivatives of propane, with four bromine | | | | | | | | | | | | | | | | | | | | |
| | | atoms and one or more fluorine atoms, | | | | | | | | | | | | | | | | | | | | |
| | | namely:Tetrabromo-fluoro- | kg | | | | | | | | | | | | | | | 2% | | | | |
| | | propane,Tetrabromo-difluoro- | 5 | | | | | | | | | | | | | | | | | | | |
| | | propane,Tetrabromo-trifluoro- | | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | | | | 2.5% | |
| | | propane.Tetrabromo-tetrafluoro-propane. | | _ | | | | | | | | | | | | | | | | | | |
| | | Tetrabromo-fluoro-propane | kg | В | | | | | | | | | | | | | | | | | | |
| | | Tetrabromo-difluoro-propane | kg | В | | | | | | | | | | | | | | | | | | |
| | | Tetrabromo-trifluoro-propane | kg | В | | | | | | | | | | | | | | | | | | |
| - | | Tetrabromo-tetrafluoro-propane | kg | L | | | | | | | | | | | | | | | | | | _ |
| | 2903.78.89 | Other derivatives of propane, with five or six | | | | | | | | | | | | | | | | | | | | |
| | | bromine atoms respectively and one or more | | | | | | | | | | | | | | | | | | | | |
| | | fluorine atoms, namely:Pentabromo-fluoro- | | | | | | | | | | | | | | | | | | | | |
| | | propane,Pentabromo-difluoro- | kg | | | | | | | | | | | | | | | 2% | | | | |
| | | propane,Pentabromo-trifluoro-propane, | ĸġ | | | | | | | | | | | | | | | 270 | | | | |
| | | Hexabromo-fluoro-propane, Hexabromo- | | | | | | | | | | | | | | | | | | | | |
| | | difluoro-propane,Heptabromo-fluoro-propane. | | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | | | | 2.5% | |
| | | | | | | | | | nee | ince | | 1166 | 1166 | TIEE | nee | 10 /0 | 570 | | | | 2.5 /0 | |
| | | Pentabromo-fluoro-propane | kg | В | 1 | | | | | | | | | | | | | | | | | |
| | | Pentabromo-difluoro-propane | kg | B | | | | | | | | | | | | | | | | | | |
| | | Pentabromo-trifluoro-propane | kg | L | | | | | | | | | | | | | | | | | | |
| | | Hexabromo-fluoro-propane | kg | B | | | | | | | | | | | | | | | | | | |
| | | Hexabromo-difluoro-propane | kg | L | | | | | | | | | | | | | | | | | | |
| | | Heptabromo-fluoro-propane | kg | 1 | | | | | | | | | | | | | | | | | | |

| | 2903.79 2903.81 2903.82 2903.83 2903.89.10 2903.89.10 2903.89.10 2903.89.10 2903.89.10 2903.91 2903.92 2903.92.10 2903.93 2903.93 2903.93 2903.93 2903.93 2903.93 2903.93 2903.93 2903.93 2903.93 2903.93 2903.99.12 2903.99.13 | | | | ICL/ | | | | I | Prefer | ential | Duty | | | | Gen | | P/ | AL | | Excise | | s |
|--------|---|---|---|----------|------|----|----------|----------|----|--------------|--------------|------|--------------|--------------|--------------|--------------|------------|----------|----------|------|---------|--------------|----------|
| HS Hdg | HS Code | | Description | Unit | SLSI | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | 2903.78.90 | | Other hydrocarbons containing four or more carbon atoms perhalogenated with bromine and fluorine | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2003 70 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.79 | - | Halogenated derivatives of cyclanic, cyclenic or cycloterpenic hydrocarbons : | ĸġ | | | | | | Tiee | Tiee | | Tiee | Tiee | Tiee | nee | 10 /0 | 570 | 2 /0 | | | 2.370 | - |
| | 2903.81 | | 1,2,3,4,5,6-Hexachlorocyclohexane (HCH (ISO)), including lindane (ISO, INN) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.82 | | Aldrin (ISO), chlordane (ISO) and heptachlor (ISO) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2903.83 | | Mirex (ISO) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | | Other : | | | | <u> </u> | | L | | | L | L | | | | | | | | | | ـــــ |
| ŀ | 2903.89.10 | | Toxaphene (Camphechlor) | kg | L | | <u> </u> | | L | Free | Free | L | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | \vdash |
| | 2903.89.90 | | Other Halogenated derivatives of aromatic hydrocarbons : | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.91 | | Chlorobenzene, o-dichlorobenzene and p- dichlorobenzene | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | | Hexachlorobenzene (ISO) and DDT (ISO) (clofenotane (INN), 1,1,1-trichloro-2,2-bis(p- chlorophenyl)ethane) : | | | | | | | | | | | | | | | | | | | | |
| | 2903.92.10 | | Hexachlorobenzene (ISO) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.92.20 | | DDT (ISO) (clofenotane (INN), 1,1,1-trichloro- 2,2-bis(p-chlorophenyl)ethane) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.93 | | Pentachlorobenzene (ISO) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2903.94 | | Hexabromobiphenyls | kg | В | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | - | | Other : | | | | | | | | | | | | | | | | | | | | _ |
| | 2002 00 42 | | Phenyl derivatives : | | | | | | | - | - | | - | - | - | - | 100/ | 50/ | 20/ | | | 2 50/ | - |
| | | | Other Polybrominated biphenyls (PBB) Polychlorinated biphenyls (PCB) | kg ka | B | | | | | Free Free | Free | | Free Free | Free Free | Free | Free Free | 18% 18% | 5% 5% | 2% 2% | | | 2.5% 2.5% | + |
| | | | Polychlorinated terphenyls (PCB) | kg kg | В | | | | | Free | Free Free | | Free | Free | Free Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | | | Other | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | 1 | 2.5% | + |
| | | | Other | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | 270 | | | 2.5% | + |
| 29.04 | | | Sulphonated, nitrated or nitrosated | | _ | | | | | | | | | | | | | | | | | | F |
| | | | derivatives of hydrocarbons, whether or not halogenated. | | | | | | | | | | | | | | | | | | | | |
| | 2904.10 | - | Derivatives containing only sulpho groups, their salts and ethyl esters | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | | - | Derivatives containing only nitro or only nitroso groups : | | | | | | | | | | | | | | | | | | | | |
| | 2904.20.10 | | Nitrated derivatives of aromatic hydrocarbon | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2904.20.90 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | \bot |
| | | - | Perfluorooctane sulphonic acid, its salts and perfluorooctane sulphonyl fluoride : | | | | | | | | | | | | | | | | | | | | |
| | 2904.31 | | Perfluorooctane sulphonic acid | kg | L | | <u> </u> | <u> </u> | L | Free | Free | L | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | 4 |
| | 2904.32 | | Ammonium perfluorooctane sulphonate | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |

| | | | | | ICL/ | | | | I | Prefer | ential | Duty | | | | Gen | | P | AL | | Excise | | S |
|--------|--------------------------|----|---|------|------|----|----|----|----------|--------|--------|------|---------|--------|--------|------|------------|----------|------|------|---------|--------------|------------|
| HS Hdg | HS Code | | Description | Unit | SLSI | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | | | | | | | | | | | | | + |
| | 2904.33 | | Lithium perfluorooctane sulphonate | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2904.34 | | Potassium perfluorooctane sulphonate | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2904.35 | | Other salts of perfluorooctane sulphonic acid | - | | | | | | | | | | | | | | | | | | | T |
| | | | | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2904.36 | | Perfluorooctane sulphonyl fluoride | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | - | Other : | | | | | | | | | | | | | | | | | | | | |
| | 2904.91 | | Trichloronitromethane (chloropicrin) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2904.99 | | Other | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | | | II ALCOHOLS AND THEIR HALOGENATED, SULPHONATED, NITRATED OR NITROSATED DERIVATIVES | | | | | | | | | | | | | | | | | | | | |
| 29.05 | | | Acyclic alcohols and their halogenated, sulphonated, nitrated or nitrosated derivatives. | | | | | | | | | | | | | | | | | | | | |
| | | - | Saturated monohydric alcohols : | | | | | | | | | | | | | | | | | | | | +- |
| | 2905.11 | - | Methanol (methyl alcohol) | kg | 1 | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | 2905.11 | | Propan-1-ol (propyl alcohol) and propan-2-ol | ĸġ | L | | | | | | TIEE | | TIEE | TIEE | TIEE | TIEE | | | | | | | + |
| | 2505.12 | | (isopropyl alcohol) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2905.13 | | Butan-1-ol (<i>n</i> -butyl alcohol) | kg | | | 1 | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | 2905.14 | | Other butanols | ka | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | 1 |
| | 2905.16 | | Octanol (octyl alcohol) and isomers thereof | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | 1 |
| | 2905.17 | | Dodecan-1-ol (lauryl alcohol), hexadecan-1- o1 (cetyl alcohol) and octadecan-1-ol (stearyl alcohol) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2005 10 10 | | Other : | l.e. | | | | | | Even | E.e.e. | | E.e.e.e | E.e.e. | E.e.e. | Even | 100/ | F | | | | 2 50/ | _ |
| | 2905.19.10 2905.19.90 | | Pentanol (amyl alcohol)and isomers thereof | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | 2% | | | 2.5% 2.5% | + |
| | 2902.19.90 | | Other Unsaturated monohydric alcohols : | kg | + | | + | | <u> </u> | Free | Free | | Free | Free | Free | Free | 18% 18% | 5% | 2% | | | 2.5% | + |
| | 2905.22 | | Acvelic terpene alcohols | kg | + | | + | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | 2905.22 | | Other | ka | + | | + | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | 2 /0 | | | 2.5% | + |
| | 2505.25 | l- | Diols : | Ny | - | | 1 | 1 | | 1100 | | | TICC | 1100 | 1100 | 1100 | 18% | L^ | | | | 2.370 | + |
| | 2905.31 | | Ethylene glycol (ethanediol) | ka | 1 | | 1 | 1 | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | 2905.32 | | Propylene glycol (propane-1,2-diol) | kg | | | 1 | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | \uparrow |
| | 2905.39 | | Other | kg | | | 1 | 1 | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | T |
| | | - | Other polyhydric alcohols : | | | | 1 | | | | | | | | | | | | | | 1 1 | | T |
| | 2905.41 | | 2-Ethyl-2 (hydroxymethyl)propane-1,3-diol (trimethylolpropane) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2905.42 | | Pentaerythritol | ka | 1 | | 1 | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | 2905.43 | | Mannitol | kg | | | 1 | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | + |
| | 2905.44 | | D-glucitol (sorbitol) | kg | | | 1 | 1 | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | T |
| | 2905.45 | | Glycerol | kg | 1 | | 1 | 1 | 1 | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | 1 |
| | 2905.49 | | Other | kg | | | 1 | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | 1 1 | 2.5% | 1 |
| | | - | Halogenated, sulphonated, nitrated or nitrosated derivatives of acylic alcohols : | | | | | | | | | | | | | | | | | | | · · | T |

| | | | | | ICL/ | | | | I | Prefer | ential | Duty | | | | Gen | | P | AL . | | Excise | | S |
|--------|---------|---|---|----------|----------|------|----|----|----|--------|--------|------|------|------|--------------|--------|------|----------|------|------|---------|-------|--------|
| HS Hdg | HS Code | | Description | Unit | SLSI | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | <u> </u> | | | | | | | | _ | _ | | _ | | | | | | | _ |
| | 2905.51 | | Ethchlorvynol (INN) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2905.59 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | _ |
| 29.06 | | | Cyclic alcohols and their halogenated, sulphonated, nitrated or nitrosated derivatives. | | | | | | | | | | | | | | | | | | | | |
| | | | Cyclanic, cyclenic or cycloterpenic : | | | | | | | | | | | | | | | | | | | | _ |
| | 2906.11 | - | Menthol | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2906.12 | | Cyclohexanol, methylcyclohexanols and dimethylcyclo-hexanols | kg kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | 2% | | | 2.5% | T |
| | 2906.13 | | Sterols and inositols | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | 1 |
| | 2906.19 | | Other | kg | 1 | | | 1 | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | | - | Aromatic : | | 1 | | i | | | | | | | | | | | | | 1 | | | 1 |
| | 2906.21 | | Benzyl alcohol | kg | 1 | | l | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | T |
| | 2906.29 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | | III PHENOLS, PHENOL-ALCOHOLS, AND THEIR HALOGENATED, SULPHONATED, NITRATED OR NITROSATED DERIVATIVES | | | | | | | | | | | | | | | | | | | | |
| 29.07 | | | Phenols; phenol-alcohols. | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | _ |
| | | - | Monophenols : | | | | | - | | _ | _ | | _ | _ | | _ | | | | | | | _ |
| | 2907.11 | | Phenol (hydroxybenzene) and its salts | kg | - | - | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2907.12 | | Cresols and their salts | kg | - | Free | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2907.13 | | Octylphenol, nonylphenol and their isomers; salts thereof | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2907.15 | | Naphthols and their salts | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | 20/ | | | 2.5% | _ |
| | 2907.19 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | +- |
| | 2907.21 | - | Polyphenols; phenol-alcohols : Resorcinol and its salts | ka | - | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | 1 | 2.5% | - |
| | 2907.21 | | Hydroquinone (quinol) and its salts | kg kg | | - | - | | | Free | Free | - | Free | Free | Free Free | Free | 18% | EX 5% | 2% | | | 2.5% | + |
| | 2907.22 | | 4,4'-Isopropylidenediphenol (bisphenol A, diphenylolpropane) and its salts | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | 2.70 | | | 2.5% | ╞ |
| | 2907.29 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| 29.08 | | | Halogenated, sulphonated, nitrated or nitrosated derivatives of phenols or phenol-alcohols. | | | | | | | | | | | | | | | | | | | | |
| | | - | Derivatives containing only halogen | | | | | | | | | | | | | | | | | | | | ┢ |
| | | | substituents and their salts : Pentachlorophenol (ISO) | 1.00 | <u> </u> | | | | | Free | - | | E.e. | E.e. | Free | E.e.e. | 100/ | 50/ | 20/ | | | 2 50/ | + |
| | | | | ka | 1 L | 1 | 1 | 1 | | Free | Free | 1 | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2908.11 | | | | | | | | | | | | | | | | | | | | | | |
| | 2908.11 | | Other : Pentachlorophenol salts (ISO) | ka | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | _ |

| | | | | | ICL/ | | | | ļ | Prefer | ential | Duty | | | | Gen | | P/ | AL | | Excise | | S |
|--------|------------|---|--|------|------|----|----|----|----|--------|--------|------|------|------|------|------|-------|-----|-----|------|---------|-------|---------|
| HS Hdg | HS Code | | Description | Unit | SLSI | АР | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | - | Other : | | | | | | | | | | | | | | | | | | | | |
| | 2908.91 | | Dinoseb (ISO) and its salts | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2908.92 | | 4,6-Dinitro-o-cresol (DNOC (ISO)) and its | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | | salts | ĸġ | - | | | | | Thee | Thee | | Thee | Thee | mee | Thee | 10 /0 | 570 | 270 | | | 2.570 | |
| | | | Other : | | | | | | | | | | | | | | | | | | | | _ |
| | 2908.99.10 | | Nitrated derivatives | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | _ |
| | 2908.99.90 | | Other | kg | - | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | + |
| | | | IV ETHERS, ALCOHOL PEROXIDES, ETHER PEROXIDES, KETONE PEROXIDES, EPOXIDES WITH A THREE- MEMBERED RING, ACETALS AND HEMIACETALS, AND THEIR HALOGENATED, SULPHONATED, NITRATED OR NITROSATED DERIVATIVES | | | | | | | | | | | | | | | | | | | | |
| 29.09 | | | Ethers, ether-alcohols, ether-phenols, ether-alcohol-phenols, alcohol peroxides, ether peroxides, acetal and hemiacetal peroxides, ketone peroxides (whether or not chemically defined), and their halogenated, sulphonated, nitrated or nitrosated derivatives. | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | - | Acyclic ethers and their halogenated, sulphonated, nitrated or nitrosated derivatives : | | | | | | | | | | | | | | | | | | | | |
| | 2909.11 | | Diethyl ether | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | T |
| | 2909.19 | | Other : | | | | | | | | | | | | | | 18% | | | | | | Τ |
| | 2909.19.10 | | Nitrated derivatives | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | T |
| | 2909.19.90 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | Т |
| | 2909.20 | - | Cyclanic, cyclenic or cycloterpenic ethers and their halogenated, sulphonated, nitrated or nitrosated derivatives : | | | | | | | | | | | | | | 18% | | | | | | |
| | 2909.20.10 | | Nitrated derivatives | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | Ι |
| | 2909.20.90 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | | - | Aromatic ethers and their halogenated, sulphonated, nitrated or nitrosated derivatives : | | | | | | | | | | | | | | | | | | | | |
| | 2909.30.10 | | Nitrated derivatives | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | _ |
| | | | Other : | | | | | | | | | | _ | | | | | | | | | | _ |
| | 2909.30.91 | | Tetrabromo diphenyl ether | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | \perp |
| | 2909.30.92 | | Pentabromo diphenyl ether | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2909.30.93 | | Hexabromo diphenyl ether | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | T |
| | 2909.30.94 | | Heptabromo diphenyl ether | kg | L | 1 | 1 | 1 | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | 1 | 1 | 2.5% | + |

| | | | | | ICL/ | | | | I | Prefer | ential | Duty | | | | Gen | | P/ | AL | | Excise | | S |
|--------|--------------------------|---|---|----------|------|----|----|----|----|--------------|--------------|------|--------------|--------------|--------------|--------------|------------|----------|-----|------|---------|--------------|--------|
| HS Hdg | HS Code | | Description | Unit | SLSI | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | | | | | | | | | | | | | T |
| | 2909.30.99 | | Other | Kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | T |
| | | - | Ether-alcohols and their halogenated, | | | | | | | | | | | | | | | | | | | | Т |
| | | | 2,2'-Oxydiethanol (diethylene glycol, digol) : | | | | 1 | | | | | | | | | | | | | | | | Τ |
| | 2909.41.10 | | Nitrated derivatives | Kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | + |
| | 2909.41.90 | | Other | Ka | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | 2505.41.50 | | Monobutyl ethers of ethylene glycol or of diethylene glycol : | Ng | | | | | | Thee | Tice | | Tice | Thee | The | nee | 1070 | 570 | 270 | | | 2.570 | |
| | 2909.43.10 | | Nitrated derivatives | Kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2909.43.90 | | Other | Kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | | Other monoalkylethers of ethylene glycol or of diethylene glycol : | | | | | | | | | | | | | | | | | | | | |
| | 2909.44.10 | | Nitrated derivatives | Kg | L | | | | | Free | Free | | | Free | Free | Free | 18% | 10% | 2% | | | 2.5% | |
| | 2909.44.90 | | Other | Kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | | | Other : | | | | | | | - | _ | | _ | _ | - | | 100/ | _ | | | | 0.50/ | _ |
| | 2909.49.10 2909.49.90 | | Nitrated derivatives Other | Kg Ka | L | | | | | Free Free | Free Free | | Free Free | Free Free | Free Free | Free Free | 18% 18% | Ex 5% | 2% | | | 2.5% 2.5% | ┿ |
| | 2303.13.30 | - | Ether-phenols, ether-alcohol-phenols and their halogenated, sulphonated, nitrated or nitrosated derivatives : | Ng | | | | | | Thee | | | | The | Thee | 1100 | 10 /0 | 570 | 270 | | | 2.570 | |
| | 2909.50.10 | | Nitrated derivatives | Kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2909.50.90 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | - | Alcohol peroxides, ether peroxides, ketone peroxides and their halogenated, sulphonated, nitrated or nitrosated derivatives : | | | | | | | | | | | | | | | | | | | | |
| | 2909.60.10 | | Nitrated derivatives | Kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | Ι |
| | 2909.60.90 | | Other | Kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| 29.10 | | | Epoxides, epoxyalcohols, epoxyphenols and epoxyethers, with a three- membered ring, and their halogenated, sulphonated, nitrated or nitrosated derivatives. | | | | | | | | | | | | | | | | | | | | |
| | 2010 10 | | Quivene (ethylene evide) | K a | | | | | | Free | Гиес | | Гиес | Гиес | Гисс | Гиал | 100/ | Ev. | | | | 2 50/ | ╇ |
| | 2910.10 2910.20 | - | Oxirane (ethylene oxide) Methyloxirane (propylene oxide) | Kg Kg | | | | | | Free Free | Free Free | | Free Free | Free Free | Free Free | Free Free | 18% 18% | Ex Ex | | | | 2.5% 2.5% | + |
| | 2910.20 | - | 1-Chloro-2,3-epoxypropane (epichlorohydrin) | Кg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | ┢ |
| | 2910.40 | - | Dieldrin (ISO, INN) | Kq | L | | 1 | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | + |
| | 2910.50 | - | Endrin (ISO) | Kg | 1 | 1 | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | + |
| | 2910.90 | - | Other | Kg | | | 1 | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | + |

| | | | | | ICL/ | | | | | Prefer | ential | Duty | | | | Gen | | P/ | AL | | Excise | | S |
|--------|------------|---|--|------|------|----|----|----|----|--------|--------|------|------|------|------|------|-----|-----|----|------|---------|------|-----------|
| HS Hdg | HS Code | | Description | Unit | SLSI | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | | | | | | | | | | | | | |
| 29.11 | | | Acetals and hemiacetals, whether or not with other oxygen function, and their halogenated, sulphonated, nitrated or nitrosated derivatives. | Kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | | | V ALDEHYDE-FUNCTION COMPOUNDS | | | | | | | | | | | | | | | | | | | | |
| 29.12 | | | Aldehydes, whether or not with other oxygen function; cyclic polymers of aldehydes; paraformaldehyde. | | | | | | | | | | | | | | | | | | | | |
| | | - | Acyclic aldehydes without other oxygen functiuon : | | | | | | | | | | | | | | | | | | | | |
| | 2912.11 | | Methanal (formaldehyde) | Ka | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | 1 |
| | 2912.12 | | Ethanal (acetaldehyde) | Kg | | | | | | Free | Free | | Free | | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2912.19 | | Other | Kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | - | Cyclic aldehydes without other oxygen function : | | | | | | | | | | | | | | | | | | | | |
| | 2912.21 | | Benzaldehyde | Kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2912.29 | | Other Aldehyde-alcohols, aldehyde-ethers, aldehyde- phenols and aldehydes with other oxygen | Kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2912.41 | | function : Vanillin (4-hydroxy-3-methoxybenzaldehyde) | Kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2912.42 | | Ethylvanillin (3-ethoxy-4- hydroxybenzaldehyde) | Kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2912.49 | | Other | Kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | | - | Cyclic polymers of aldehydes : | | | | | | | | | | | | | | | | | | | | |
| | 2912.50.10 | | Metaldehyde | Kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2912.50.90 | | Other | Kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2912.60 | - | Paraformaldehyde | Kg | | | | ļ | | Free | Free | ļ | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | 4 |
| 29.13 | | | Halogenated, sulphonated, nitrated or nitrosated derivatives of products of heading 29.12. | Kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | | | VI KETONE-FUNCTION COMPOUNDS AND QUINONE-FUNCTION COMPOUNDS | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | \square |

| | | | | | ICL/ | | | | I | Prefer | ential | Duty | | | | Gen | | P/ | 4L | | Excise | | S |
|--------|------------|---|---|------|------|----|----|----|----|--------|--------|------|---------|------|-------|------|-----|-----|----|------|---------|------|--------|
| HS Hdg | HS Code | | Description | Unit | SLSI | АР | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | | | | | | | | | | | | | T |
| 29.14 | | | Ketones and quinones, whether or not with other oxygen function, and their halogenated, sulphonated, nitrated or nitrosated derivatives. | | | | | | | | | | | | | | | | | | | | |
| | | - | Acyclic ketones without other oxygen function : | | | | | | | | | | | | | | | | | | | | |
| | 2914.11 | | Acetone | Kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | 1 |
| | 2914.12 | | Butanone (methyl ethyl ketone) | Kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | 1 |
| | 2914.13 | | 4-Methylpentan-2-one (methyl isobutyl ketone) | Kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2914.19 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | 1 |
| | | - | Cyclanic, cyclenic or cycloterpenic ketones without other oxygen function : | | | | | | | | | | | | | | | | | | | | |
| | 2914.22 | | Cyclohexanone and methylcyclohexanones | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2914.23 | | Ionones and methylionones | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | T |
| | 2914.29 | | Other : | | | | | | | | | | | | | | 18% | | | | | | 1 |
| | 2914.29.10 | | Camphor | kg | | | | | | Free | Free | | 5% | 4.5% | 10.0% | 15% | 18% | 5% | 2% | | | 2.5% | 1 |
| | 2914.29.90 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | T |
| | | - | Aromatic ketones without other oxygen function : | | | | | | | | | | | | | | | | | | | | |
| | 2914.31 | | Phenylacetone (phenylpropan-2-one) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | 1 |
| | 2914.39 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2914.40 | - | Ketone-alcohols and ketone-aldehydes | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2914.50 | - | Ketone-phenols and ketones with other oxygen function | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | - | Quinones : | | | | | | | | | | | | | | | | | | | | |
| | 2914.61 | | Anthraquinone | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2914.62 | | Coenzyme Q10 (ubidecarenone (INN)) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2914.69 | | Other Halogenated, sulphonated, nitrated or nitrosated derivatives : | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | 2914.71 | | Chlordecone (ISO) | ka | 1 | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | + |
| | 2914.79 | | Other | kg | | | | | | Free | Free | | Free | | Free | Free | 18% | Ex | | | | 2.5% | F |
| | | | VII CARBOXYLIC ACIDS AND THEIR ANHYDRIDES, HALIDES, PEROXIDES AND PEROXYACIDS AND THEIR HALOGENATED, SULPHONATED, NITRATED OR NITROSATED DERIVATIVES | | | | | | | | | | <u></u> | | | | | | | | | | |

| | | | | | ICL/ | | | | I | Prefer | ential | Duty | | | | Gen | | P/ | AL . | | Excise | | S |
|--------|------------|---|---|------|------|----|----|----|----|--------|--------|------|------|------|------|------|-------|-----|------|------|---------|--------|--------|
| HS Hdg | HS Code | | Description | Unit | SLSI | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | | | | | | | | | | | | | - |
| 29.15 | | | Saturated acyclic monocarboxylic acids and their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulphonated, nitrated or nitrosated derivatives. | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | _ |
| | | - | Formic acid, its salts and esters : | | | | | | | _ | | | _ | _ | | | | | | | | | |
| | 2915.11 | | Formic acid | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2915.12 | | Salts of formic acid | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2915.13 | | Esters of formic acid | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | _ |
| | | - | Acetic acid and its salts; acetic anhydride : | | | | | | | _ | _ | | _ | _ | _ | _ | | | | | | | _ |
| | 2915.21 | | Acetic acid | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2915.24 | | Acetic anhydride | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | _ |
| | 2915.29 | | Other | kg | | | - | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | | - | Esters of acetic acid : | | | | - | | | _ | _ | | _ | _ | | _ | | | | | | | _ |
| | 2915.31 | | Ethyl acetate | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2915.32 | | Vinyl acetate | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2915.33 | | <i>n</i> -Butyl acetate | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2915.36 | | Dinoseb (ISO) acetate | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2915.39 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2915.40 | - | Mono-, di- or trichloroacetic acids, their salts and esters | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2915.50 | - | Propionic acid, its salts and esters | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2915.60 | - | Butanoic acids, pentanoic acids, their salts and esters | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | - | Palmitic acid, stearic acid, their salts and esters | | | | | | | | | | | | | 1 | | | | | | | |
| | 2915.70.10 | | Palmitic acid and its salts and esters | ka | | | 1 | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | 29% | 2.5% | + |
| | 2915.70.20 | | Stearic acid and its salts and esters | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | 2370 | 2.5% | + |
| | 2915.70.20 | - | Other | ĸġ | | | | | | TTCC | TTEE | | TTEE | TTEE | Thee | THEE | 1070 | 570 | 270 | | | 2.570 | + |
| | 2915.90.10 | | Lauric acid and its salts and esters | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | 29% | 2.5% | + |
| | 2915.90.90 | | Other | ka | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | 2570 | 2.5% | 1 |
| | 2913190190 | | | Ng | | | | | | mee | mee | | mee | TTCC | 1100 | mee | 10 /0 | 570 | 270 | | | 213 /0 | 1 |
| 29.16 | | | Unsaturated acyclic monocarboxylic acids, cyclic monocarboxylic acids, their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulphonated, nitrated or nitrosated derivatives. | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | - | Unsaturated acyclic monocarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives : | | | | | | | | | | | | | | | | | | | | |
| | 2916.11 | | Acrylic acid and its salts | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2916.12 | | Esters of acrylic acid | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2916.13 | | Methacrylic acid and its salts | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2916.14 | | Esters of methacrylic acid | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |

| | | | | | ICL/ | | | | F | Prefer | ential | Duty | | | | Gen | | P/ | AL | | Excise | | S |
|--------|--------------------|---|--|----------|----------|----------|----|----|----|--------------|--------------|------|--------------|--------------|--------------|--------------|------------|----------|-----|------|---------|--------------|---------|
| HS Hdg | HS Code | | Description | Unit | SLSI | АР | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | 2916.15 | | Olaia linglaig av linglania peida their selts | | | | | | | | | | | | | | | | | | | | |
| | 2910.15 | | Oleic, linoleic or linolenic acids, their salts and estrs | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2916.16 | | Binapacryl (ISO) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2916.19 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | - | Cyclanic, cyclenic or cycloterpenic monocarboxylic acids, their anhydrides, halides, peroxides, peroxiacids and their derivatives : | | | | | | | | | | | | | | | | | | | | |
| | 2916.20.10 | | D-allethrin (Pynamin forte) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2916.20.20 | | D-trans allethrin (Esbiothrin) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2916.20.30 | | Prallethrin (ETOC) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2916.20.40 | | Transfluthrin | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2916.20.50 | | Permethrin | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | _ |
| | 2916.20.90 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | _ |
| | | - | Aromatic monocarboxilic acids, their anhydrides, halides, peroxides, peroxiacids and their derivatives : | | | | | | | | | | | | | | | | | | | | |
| | 2916.31 | | Benzoic acid, its salts and esters | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2916.32 | | Benzoyl peroxide and benzoyl chloride | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2916.34 | | Phenylacetic acid and its salts | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | _ |
| | 2916.39 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | + |
| 9.17 | | | Polycarboxilic acids, their anhydrides, halides, peroxides and peroxiacids; their halogenated, sulphonated, nitrated or nitrosated derivatives. | | | | | | | | | | | | | | | | | | | | |
| | | - | Acyclic polycarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives : | | | | | | | | | | | | | | | | | | | | |
| | 2917.11 | | Oxalic acid, its salts and esters | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2917.12 | | Adipic acid, its salts and esters | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2917.13 | | Azelaic acid, sebacic acid, their salts and esters | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2917.14 | | Maleic anhydride | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2917.19 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2917.20 | - | Cyclanic, cyclenic or cycloterpenic polycarboxylic acids, their anhydrides, halides, peroxides, peroxyacids and their derivatives | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | - | Aromatic polycarboxylic acids, their anhydrides, halides, peroxides, peroxacids and their derivatives : | | | | | | | | | | | | | | | | | | | | |
| | 2917.32 | | Dioctyl orthophthalates | kg | <u> </u> | <u> </u> | | | | Free | Free | L | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | \perp |
| | 2917.33 | | Dinonyl or didecyl orthophthalates | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | 201 | | | 2.5% | _ |
| | 2917.34 | | Other esters of orthophthalic acid | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | 2917.35 2917.36 | | Phthalic anhydride Terephthalic acid and its salts | kg kg | | | | | | Free Free | Free Free | | Free Free | Free Free | Free Free | Free Free | 18% 18% | 5% Ex | 2% | | | 2.5% 2.5% | + |
| | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | ICL/ | | | | | Prefer | ential I | Duty | | | | Gen | | P/ | AL . | | Excise | | S |
|--------|---------|----------------------------|------|------|----|----|----|----|--------|----------|------|------|------|------|------|-----|-----|------|------|---------|------|--------|
| HS Hdg | HS Code | Description | Unit | SLSI | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | | | | | | | | | | | | |
| | 2917.37 | Dimethyl terephthalate | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2917.39 | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | ICL/ | | | | | Prefer | ential | Duty | | | | Gen | | P/ | AL. | | Excise | | S |
|--------|------------|---|--|------|------|----|----|----|----|--------|--------|------|------|------|------|------|-----|-----|-----|------|---------|------|--------|
| HS Hdg | HS Code | | Description | Unit | SLSI | АР | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | | | | | | | | | | | | | 1 |
| 29.18 | | | Carboxylic acids with additional oxygen function and their anhydrides, halides, peroxides and peroxyacids; their halogenated, sulphonated, nitrated or nitrosated derivatives. | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | _ |
| | | - | Carboxylic acids with alcohol function but without other oxygen function, their anhydrides, halides, peroxides, peroxyacids and their derivatives : | | | | | | | | | | | | | | | | | | | | |
| | 2918.11 | | Lactic acid, its salts and esters | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2918.12 | | Tartaric acid | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | _ |
| | 2918.13 | | Salts and esters of tartaric acid | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2918.14 | | Citric acid | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2918.15 | | Salts and esters of citric acid | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2918.16 | | Gluconic acid, its salts and esters | kg | | - | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | 2918.17 | | 2,2-Diphenyl-2-hydroxyacetic aid (benzilic acid) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2918.18 | | Chlorobenzilate (ISO) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2918.19 | - | Other Carboxylic acids with phenol function but without other oxygen function, their anhydrides, halides, peroxides, peroxyacids and their derivatives : | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2918.21 | | Salicylic acid and its salts | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2918.22 | | O-Acetylsalicylic acid, its salts and esters | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2918.23 | | Other esters of salicylic acid and their salts | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2918.29 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2918.30 | - | Carboxylic acids with aldehyde or ketone function but without other oxygen function, their anhydrides, halides, peroxides, peroxyacids and their derivatives | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | | - | Other : | | | | | | | | | | | | | | | | | | | | |
| | 2918.91 | | 2,4,5-T (ISO) (2,4,5-trichlorophenoxyacetic acid), its salts and esters | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2918.99 | | Other : | | | | | [| | | | [| | | | | 18% | | | | | | 1 |
| | 2918.99.10 | | (2,4-dichlorophenoxy) acetic acid (2,4-D) | kg | | | | l | | Free | Free | l | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | T |
| | 2918.99.20 | | (4-chloro-2-methylphenoxy) acetic acid (MCPA) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2918.99.90 | | Other | ka | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | | | | | | | | | | | | | | | | | | | | | | | 1 |

| | | | | | ICL/ | | | | I | Prefer | ential | Duty | | | | Gen | | P | AL | | Excise | | S |
|--------|--------------------|---|--|----------|------|----|----|----|----|--------------|--------------|------|------|--------------|--------------|--------------|------------|----------|----------|------|---------|--------------|--------|
| HS Hdg | HS Code | | Description | Unit | SLSI | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | VIII ESTERS OF INORGANIC ACIDS OF NON-METALS AND THEIR SALTS, AND THEIR HALOGENATED, SULPHONATED, NITRATED OR NITROSATED DERIVATIVES | | | | | | | | | | | | | | | | | | | | |
| 29.19 | | | Phosphoric esters and their salts, including lactophosphates; their halogenated, sulphonated, nitrated or nitrosated derivatives. | | | | | | | | | | | | | | | | | | | | |
| | 2919.10 | - | Tris(2,3-dibromopropyl) phosphate | kq | 1 | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | + |
| | 2919.10 | - | Other : | Ng | | | | | | 1100 | Tiee | | 1100 | Thee | 1100 | 1100 | 10 /0 | LX | | | | 21370 | 1 |
| | 2919.90.10 | | Dichlorvos (DDVP) | kg | | | | | | Free | Free | | Free | | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2919.90.90 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | - |
| 29.20 | | | Esters of other inorganic acids of non- metals (excluding esters of hydrogen halides) and their salts; their halogenated, sulphonated, nitrated or nitrosated derivatives. | | | | | | | | | | | | | | | | | | | | |
| | | - | Thiophosphoric esters (phosphorothioates) and their salts; their halogenated, sulphonated, nitrated or nitrosated derivatives: | | | | | | | | | | | | | | | | | | | | |
| | 2920.11 | | Parathion (ISO) and parathion-methyl (ISO) (methyl-parathion) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2920.19.10 | | Other : Fenithrothian and other nitrated derivatives | kg | 1 | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | 2920.19.90 | | Other | kg | - | | | | | Free | Free | | Free | | Free | Free | 18% | Ex | 270 | | | 2.5% | 1 |
| | | - | Phosphite esters and their salts; their halogenated, sulphonated, nitrated or nitrosated derivatives : | | | | | | | | | | | | | | | | | | | | |
| | 2920.21 | | Dimethyl phosphate | kg | L | | | | | Free | Free | | Free | | Free | Free | 18% | Ex | | | | 2.5% | + |
| | 2920.22 | | Diethyl phosphate | kg | L | | | | | Free | Free | | Free | | Free | Free | 18% | Ex | 20/ | | | 2.5% | _ |
| | 2920.23 2920.24 | | Trimethyl phosphate | kg | | | | | | Free | Free | | | Free Free | Free | Free Free | 18% 18% | 5% 5% | 2% 2% | | | 2.5% 2.5% | + |
| | 2920.24 | | Other | kg ka | L | | | | | Free Free | Free Free | | Free | | Free Free | Free | 18% | 5% 5% | 2% | | | 2.5% | + |
| | 2920.29 | - | Endosulfan (ISO) | kg kg | 1 | | | | | Free | Free | | Free | | Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | 2920.90 | - | Other | ka | L | | | | | Free | Free | | Free | | Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | | | | | - | | 1 | 1 | 1 | | | | | | | | | 270 | | | | 2.370 | 1 |

| | | | | | ICL/ | | | | | Prefer | ential | Duty | | | | Gen | | P/ | 4L | | Excise | | S |
|--------|---------|---|--|------|------|----|----|----|----|--------|--------|------|------|------|------|------|-----|-----|----|------|---------|------|------------|
| HS Hdg | HS Code | | Description | Unit | SLSI | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | IX NITROGEN-FUNCTION COMPOUNDS | | | | | | | | | | | | | | | | | | | | |
| 29.21 | | | Aming function compounds (1) | | | | | | | | | | | | | | | | | | | | _ |
| 29.21 | | | Amine -function compounds (+). | | | | | | | | | | | | | | | | | | | | - |
| | | - | Acyclic monoamines and their derivatives; salts thereof : | | | | | | | | | | | | | | | | | | | | - |
| | 2921.11 | | Methylamine, di- or trimethylamine and their salts | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2921.12 | | 2-(N,N-Dimethylamino)ethylchloride hydrochloride | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2921.13 | | 2-(N,N-Diethylamino)ethylchloride hydrochloride | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2921.14 | | 2-(N,N-Diisoprpylamino)ethylchloride hydrochloride | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2921.19 | | Other | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | - | Acyclic polyamines and their derivatives; salts thereof : | | | | | | | | | | | | | | | | | | | | |
| | 2921.21 | | Ethylenediamine and its salts | kg | | | | | | Free | Free | | Free | | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2921.22 | | Hexamethylenediamine and its salts | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | _ |
| | 2921.29 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2921.30 | - | Cyclanic, cyclenic or cycloterpenic mono- or polyamines, and their derivatives; salts thereof | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | | - | Aromatic monoamines and their derivatives; salts thereof : | | | | | | | | | | | | | | | | | | | | |
| | 2921.41 | | Aniline and its salts | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2921.42 | | Aniline derivatives and their salts | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | _ |
| | 2921.43 | | Toluidines and their derivatives; salts thereof | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2921.44 | | Diphenylamine and its derivatives; salts thereof | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2921.45 | | 1-Naphthylamine (alpha-naphthylamine), 2- naphthylamine (beta-naphthylamine) and their derivatives; salts thereof | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2921.46 | | Amfetamine (INN), benzfetamine (INN), dexamfetamine (INN), etilamfetamine (INN), fencamfamin (INN), lefetamine (INN), levamfetamine (INN), mefenorex (INN) and phenetermine (INN); salts thereof | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2921.49 | | Other | kg | L | | 1 | | 1 | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | \uparrow |
| | | - | Aromatic polyamines and their derivatives; salts thereof : | 2 | | | | | | | | | | | | | | | | | | | |
| | 2921.51 | | o-, m-, p-Phenylenediamine, diaminotoluenes, and their derivatives; salts thereof | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2921.59 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | T |
| | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | ICL/ | | | | | Prefer | ential | Duty | | | | Gen | | P/ | AL | | Excise | | S |
|--------|------------|---|--|------|------|----|----|----|----|--------|--------|------|------|-------|--------|---------|-------|----------|-----|----------|---------|--------|--------|
| HS Hdg | HS Code | | Description | Unit | SLSI | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | | | | | | | | | | | | | |
| 29.22 | | | Oxygen-function amino-compounds | | | | | | | | | | | | | | | | | | | | |
| | | | (+). | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | - | Amino-alcohols, other than those containing | | | | | | | | | | | | | | | | | | | | |
| | | | more than one kind of oxygen function, their | | | | | | | | | | | | | | | | | | | | |
| | | | ethers and esters; salts thereof : | | | | | | | | | | | | | | | | | | | | |
| | 2922.11 | | Monoethanolamine and its salts | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2922.12 | | Diethanolamine and its salts | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2922.14 | | Dextropropoxyphene (INN) and its salts | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2922.15 | - | Triethanolamine | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2922.16 | | Diethanolammonium perfluorooctane | ka | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | | sulphonate | kg | L | | | | | Hee | Hee | | riee | Hee | Hee | пее | 1070 | J70 | 270 | | | 2.5% | |
| | 2922.17 | | Methyldiethanolamine and | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | | | ethyldiethanolamine | - | L | | | | | | | | | | | | | | | | | | |
| | 2922.18 | | 2-(N,N-Diisopropylamino)ethanol | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2922.19 | | Other | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | | - | Amino-naphthols and other amino-phenols, | | | | | | | | | | | | | | | | | | | | |
| | | | other than those containing more than one | | | | | | | | | | | | | | | | | | | | |
| | | | kind of oxyen function, their ethers and | | | | | | | | | | | | | | | | | | | | |
| | | | esters; salts thereof : | | | | | | | | | | | | | | | | | | | | _ |
| | 2922.21 | | Aminohydroxynaphthalenesulphonic acids and | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | | | their salts | | | | | | | | | | | | | | | | | | | | - |
| | 2022 20 40 | | Other : | | | | | | | - | | | | | | | | | | - | | | - |
| | 2922.29.10 | | Anisidines, dianisidines, phenetidines, and | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| - | 2022 20 00 | | their salts | - | | | | | | Even | E.e.e. | | F0/ | 4 50/ | 10.00/ | 2007 | 100/ | F | | | | 2 50/ | - |
| - | 2922.29.90 | | Other Amino-aldehydes, amino-ketones and amino- | kg | | | | | | Free | Free | | 5% | 4.5% | 10.0% | 20% | 18% | Ex | | 1 | | 2.5% | |
| | | - | quinones, other than those containing more | | | | | | | | | | | | | | | | | | | | |
| | | | than one kind of oxygen function; salts | | | | | | | | | | | | | | | | | | | | |
| | | | thereof : | | | | | | | | | | | | | | | | | | | | |
| | 2922.31 | | Amfepramone (INN), methadone (INN) and | | | | | | | | | | | | | | | | | | | | - |
| | 2922.51 | | normethadone (INN) ; salts thereof | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2922.39 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2522.55 | - | Amino-acids, other than those containing | Ng | | | | | | 1100 | 1100 | | 1100 | 1100 | 1100 | 1100 | 10 /0 | LA | | | | 210 /0 | 1 |
| | | | more than one kind of oxygen function, and | | | | | | | | | | | | | | | | | | | | |
| | | | their esters; salts thereof : | | | | | | | | | | | | | | | | | | | | |
| | 2922.41 | | Lysine and its esters; salts thereof | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | 1 |
| | | | Glutamic acid and its salts : | 5 | | | | | | | | | | | | | | | | 1 | | | |
| | 2922.42.10 | | Mono Sodium glutamate | | | | | | | - | - | | - | - | | Rs.60/= | 100/ | 50/ | | Rs.120/= | | 2 50/ | |
| | | | 5 | kg | | | | | | Free | Free | | Free | Free | | per kg | 18% | 5% | | per kg | | 2.5% | |
| | 2922.42.90 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2922.43 | | Anthranilic acid and its salts | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2922.44 | | Tilidine (INN) and its salts | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2922.49 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2922.50 | - | Amino-alcohol-phenols, amino-acid-phenols | | | | | | | | | | | | | | | | | | | | |
| | | | and other amino-compounds with oxygen | kg | | | 1 | | 1 | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | | function | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | Τ |

| | | | | | ICL/ | | | | F | Prefer | ential | Duty | | | | Gen | | P | AL | | Excise | | s |
|--------|------------|---|---|------|------|----|----|----|----|--------|--------|------|------|------|------|------|-----|-----|----|------|---------|------|--------|
| HS Hdg | HS Code | | Description | Unit | SLSI | АР | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | | | | | | | | | | | | | |
| 29.23 | | | Quaternary ammonium salts and hydroxides; lecithins and other phosphoaminolipids, whether or not chemically defined. | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | _ | | _ | _ | _ | _ | | | | | | | _ |
| | 2923.10 | - | Choline and its salts | kg | | | | | | Free | Free | | Free | | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2923.20 | - | Lecithins and other phosphoaminolipids | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2923.30 | - | Tetraethylammonium perfluorooctane sulphonate | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2923.40 | - | Didecyldimethylammonium perfluorooctane sulphonate | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2923.90 | - | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | L |
| 29.24 | | | Carboxyamide-function compounds; amide-function compounds of carbonic acid. | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | - | Acyclic amides (including acyclic carbamates) and their derivatives; salts thereof : | | | | | | | | | | | | | | | | | | | | |
| | 2924.11 | | Meprobamate (INN) | ka | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | ╈ |
| | 2924.12 | | Fluoroacetamide (ISO), monocrotophos (ISO) and phosphamidon (ISO) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | Ī |
| | 2924.19 | | Other | ka | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | 1 |
| | | - | Cyclic amides (including cyclic carbamates) and their derivatives; salts thereof : | 3 | | | | | | | | | | | | | | | | | | | |
| | 2924.21 | | Ureines and their derivatives; salts thereof | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | T |
| | | | 2-Acetamidobenzoic acid (N-acetylanthranilic acid) and its salts : | 5 | | | | | | | | | | | | | | | | | | | |
| | 2924.23.10 | | 2-Acetamidobenzoic acid (N-acetylanthranilic acid) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | Ī |
| | 2924.23.20 | | Salts of 2-Acetamidobenzoic acid (N- acetylanthranilic acid) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | T |
| | 2924.24 | | Ethinamate (INN) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | 1 |
| | 2924.25 | | Alachlor (ISO) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | Γ |
| | | | Other : | | | | | | | | | | | | | | | | | | | | |
| | 2924.29.10 | | Metalaxyl | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | 1 |
| | 2924.29.20 | | Fenobucarb (2-sec-butylphenyl methylcarbamate) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2924.29.30 | | Propanyl | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | T |
| | 2924.29.40 | | Propoxur | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2924.29.90 | | Other | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | ICL/ | | | | | Prefer | ential | Duty | | | | Gen | | P | AL | | Excise | | s |
|--------|------------|---|---|----------|------|----|----|----|----|--------|--------|------|------|------|------|------|-------|-----|------|------|---------|-------|--------|
| HS Hdg | HS Code | | Description | Unit | SLSI | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | | | | | | | | | | | | | |
| 29.25 | | | Carboxyimide-function compounds (including saccharin and its salts) and imine-function compounds. | | | | | | | | | | | | | | | | | | | | |
| | | _ | Imides and their derivatives; salts thereof : | | | | | | | | | | | | | | | | | | | | - |
| | 2925.11 | - | Saccharin and its salts | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | - | | 2.5% | |
| | 2925.11 | | Gluethimide (INN) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2925.12 | | Other | ka | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | 2525.15 | _ | Imines and their derivatives; salts thereof : | ĸġ | | | | | | TICC | TICC | | TICC | TICC | TICC | Thee | 10 /0 | 570 | 2 /0 | | | 2.370 | + |
| | 2925.21 | | Chlordimeform (ISO) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2925.29 | | Other | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | - |
| | | | | | | | | | | | | | | | | | | | | | | | |
| 29.26 | | | Nitrile-function compounds. | | | | | | | | | | | | | | | | | | | | |
| | 2926.10 | | Acrylonitrile | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2926.10 | - | 1-Cyanoguanidine(dicyandiamide) | kg kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2926.20 | - | Fenproporex (INN) and its salts; methadone | ку | | | | | | riee | riee | | Fiee | Fiee | riee | Fiee | 10% | EX | | | | 2.5% | - |
| | 2920.30 | _ | (INN) internediate (4-cyano-2-diemthylamino- 4.4-diphenylbutane) | kg | | | | | | Free | Free | | Free | Free | Free | Free | | 5% | 2% | | | 2.5% | |
| | 2926.40 | - | alpha- Phenylacetoacetonitrile | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2926.90 | - | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| 29.27 | 2927.00 | | Diazo-, azo- or azoxy-compounds. | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| 29.28 | 2928.00 | | Organic derivatives of hydrazine or of hydroxylamine. | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 10% | 2% | | | 2.5% | |
| 29.29 | | | Compounds with other nitrogen function. | | | | | | | | | | | | | | | | | | | | |
| | 2929.10 | - | Isocyanates | ka | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2929.90 | - | Other | kg | Ĺ | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | | X ORGANO-INORGANIC COMPOUNDS, HETEROCYCLIC COMPOUNDS, NUCLEIC ACIDS AND THEIR SALTS, AND SULPHONAMIDES | | | | | | | | | | | | | | | | | | | | |
| 29.30 | | | Organo-sulphur compounds. | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | 1 | 1 | 1 | | | | |
| | 2930.10 | - | 2-(N,N-Dimethylamino) ethanethiol | kg | 1 | 1 | 1 | 1 | 1 | Free | Free | 1 | Free | Free | Free | Free | 18% | Ex | l | İ | | 2.5% | |
| | 2930.20 | - | Thiocarbamates and dithiocarbamates : | | | | | | | | | | | | | | | | | | | | Τ |
| | 2930.20.10 | | Thiobencarb | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2930.20.90 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2930.30 | - | Thiuram mono-, di- or tetrasulphides | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2930.40 | - | Methionine | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |

| | | | | | ICL/ | | | | l | Prefer | ential | Duty | | | | Gen | | P | AL | | Excise | | S |
|--------|------------|---|--|------|------|----|----|----|----|--------|--------|------|------|------|------|------|-----|-----|----|------|---------|------|--------|
| HS Hdg | HS Code | | Description | Unit | SLSI | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | 2930.60 | - | 2-(N,N-Diethylamino)ethanethiol | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2930.70 | - | Bis(2-hydroxyethyl)sulfide (thiodiglycol (INN)) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2930.80 | - | Aldicarb (ISO), captafol (ISO) and methamidophos (ISO) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | - | Other : | | | | | | | | | | | | | | | | | | | | |
| | 2930.90.10 | | Malathion | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2930.90.20 | | Edifenphos | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | T |
| | 2930.90.30 | | Fenamiphos | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | T |
| | 2930.90.40 | | Fenthion | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2930.90.50 | | Phenthoate | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | T |
| | 2930.90.90 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| 29.31 | | | Other organo-inorganic compounds. | | | | | | | | | | | | | | | | | | | | |
| | 2931.10 | - | Tetramethyl lead and tetraethyl lead : | | | | | | | | | | | | | | | | | | | | |
| | 2931.10.10 | | Tetraethyl lead | kq | L | | 1 | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |

| | | | | | ICL/ | | | | | Prefer | ential | Duty | | | | Gen | | P | AL | _ | Excise | | S |
|--------|------------|---|---|------|------|----|----|----|----|--------|--------|------|--------|------|------|--------|------|----------|----|------|---------|------|--------|
| HS Hdg | HS Code | | Description | Unit | SLSI | АР | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | 2931.10.20 | | Tetramethyl lead | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2931.20 | - | Tributyltin compounds | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | - | Non halogenated organo-phosphorous derivatives : | | | | | | | | | | | | | | | | | | | | |
| | 2931.41 | | Dimethyl methylphosphonate | kg | 1 | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | + |
| | 2931.42 | | Dimethyl propylphosphonate | kg | 1 | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | + |
| | 2931.43 | | Diethyl ethylphosphonate | kg | 1 | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | + |
| | 2931.44 | | Methylphosphonic acid | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | Ex | | | 2.5% | + |
| | 2931.45 | | Salt of methylphosphonic acid and (aminoiminomethyl) urea (1:1) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2931.46 | | 2,4,6- Tripropyl -1,3,5,2,4,6- | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | T |
| | 2931.47 | | trioxatriphosphinane 2,4,6-trioxide (5-Ethyl-2- methyl-2-oxido- 1,3,2- dioxaphosphinan-5-yl)methyl methyl | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2931.48 | | methylphosphonate 3,9-Dimethyl-2,4,8,10-tetraoxa-3,9- diphosphaspiro[5.5] undecane 3,9-dioxide | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | ╈ |
| | 2931.49 | | Other | | | | | | | | | | | | | | | | | | | | + |
| | 2931.49.10 | | N-(phosphonomethyl) Glycine and its salts | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2021 40 00 | | and derivatives [Glyphosate] | | | | | | | Even | E.e.e. | | E.e.e. | Even | Fuer | E.e.e. | 100/ | F | | | | 2.5% | _ |
| | 2931.49.90 | | Other Halogenated organo-phosphorous derivatives | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | t |
| | 2931.51 | | Methylphosphonic dichloride | kg | 1 | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | | + |
| | 2931.52 | | Propylphosphonic dichloride | ka | 1 | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | | + |
| | 2931.53 | | O-(3-chloropropyl) O-[4-nitro-3- (trifluoromethyl)phenyl] methylphosphonothionate | kg | L | | | | | Free | Free | | Free | | Free | Free | 18% | Ex | | | | | |
| | 2931.54 | | Trichlorfon (ISO) | ka | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | | + |
| | 2931.59 | | Other | ka | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | | T |
| | | - | Other : | | | | | | | | | | | | | | | | | | | | T |
| | 2931.90.10 | | Triphenyl tin | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | T |
| | 2931.90.20 | | Organo-mercury compound | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | Τ |
| | 2931.90.30 | | Exolit OP 560 TP (phosphonic acid, methyl- polyglycol ester) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2931.90.90 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | 1 |
| 9.32 | | | Heterocyclic compounds with oxygen hetero-atom(s) only (+). | | | | | | | | | | | | | | | | | | | | |
| | | - | Compounds containing an unfused furan ring (whether or not hydrogenated) in the structure: | | | | | | | | | | | | | | | | | | | | |
| | 2932.11 | | Tetrahydrofuran | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | T |
| | 2932.12 | | 2-Furaldehyde (furfuraldehyde) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2932.13 | | Furfuryl alcohol and tetrahydrofurfuryl alcohol | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |

| | | | | Unit ICL/ SLSI ICL/ AP AD BN GT IN PK SA SF SD SG Duty | | | | | | | | | | | | | P/ | AL | _ | Excise | | S | |
|--------|------------|---|--|--|---|----|----------|----------|----------|------|------|----|------|------|------|------|------|----------|-----|--------|---------|-------|--------|
| HS Hdg | HS Code | | Description | Unit | | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | 2932.14 | | Sucralose | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2932.19 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2932.20 | - | Lactones : | | | | | | | | | | | | | | 18% | | | | | | |
| | 2932.20.10 | | Coumatetralyl | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2932.20.90 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | | - | Other : | | | | | | | | | | | | | | | | | | | | |
| | 2932.91 | | Isosafrole | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2932.92 | | 1-(1,3-Benzodioxol-5-yl)propan-2-one | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2932.93 | | Piperonal | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | _ |
| | 2932.94 | | Safrole | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2932.95 | | Tetrahydrocannabinols (all isomers) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2932.96 | | Carbofuran (ISO) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2932.99 | | Other : | | | | | | | | | | | | | | | | | | | | |
| | 2932.99.20 | | Polychlorinated dibenzo-p-dioxins | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2932.99.30 | | Polychlorinated dibenzofurans (PCDD/PCDF) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2932.99.90 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| 29.33 | | | Heterocyclic compounds with nitrogen hetero-atom(s) only (+). | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | _ | Compounds containing an unfused pyrazole | | | | | | | | | | | | | | | | | | | | |
| | | - | ring (whether or not hydrogenated) in the | | | | | | | | | | | | | | | | | | | | |
| | | | structure : | | | | | | | | | | | | | | | | | | | | |
| | 2933.11 | | Phenazone (antipyrin) and its derivatives | ka | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | - | | 2.5% | |
| | 2933.11 | | Other | 2 | | | | | | | | | Free | Free | | | 18% | 5% | 2% | - | | 2.5% | |
| | 2933.19 | | | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | Z%0 | | | 2.5% | |
| | | - | Compounds containing an unfused imidazole | | | | | | | | | | | | | | | | | | | | |
| | | | ring (whether or not hydrogenated) in the | | | | | | | | | | | | | | | | | | | | |
| | | | structure : | | | | | | | - | _ | | _ | _ | - | _ | 100/ | =0/ | | - | | 0.50/ | _ |
| | 2933.21 | | Hydantoin and its derivatives | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | - | | 2.5% | _ |
| | 2933.29 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | - | Compounds containing an unfused pyridine | | | | | | | | | | | | | | | | | | | | |
| | | | ring (whether or not hydrogenated) in the | | | | | | | | | | | | | | | | | | | | |
| | | | structure : | | | | | | | _ | _ | | _ | _ | _ | _ | | | | | | | _ |
| | 2933.31 | | Pyridine and its salts | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2933.32 | | Piperidine and its salts | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | _ |
| | 2933.33 | | Alfentanil (INN), anileridine (INN), | | | | | | | | | | | | | | | | | | | | |
| | | | bezitramide (INN), bromazepam (INN), | | | | | | | | | | | | | | | | | | | | |
| | | | carfentanil (INN), difenoxin (INN), | | | | | | | | | | | | | | | | | | | | |
| | | | diphenoxylate (INN), dipipanone (INN), | | | | | | | | | | | | | | | | | | | | |
| | | | fentanyl(INN), ketobemidone (INN), | | | | | | | | | | | | | | | | | | | | |
| | | | methylphenidate (INN), pentazocine (INN), | | | | | | | | _ | | _ | _ | | _ | | _ | | | | | |
| | | | pethidine (INN), pethidine (INN) intermediate | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | | | A, phencyclidine (INN) (PCP), phenoperidine | | | | 1 | 1 | 1 | | | | | | | | | | | | | | |
| | | | (INN), pipradrol (INN), piritramide (INN), | | | | | | | | | | | | | | | | | | | | |
| | | | propiram (INN), remifentanil (INN) and | | | | 1 | 1 | 1 | | | | | | | | | | | | | | |
| | | | trimeperidine (INN); salts thereof | | | | 1 | 1 | 1 | | | | | | | | | | | | | | |
| | | | annependine (Inin), saits thereof | | | | 1 | 1 | 1 | | | | | | | | | | | | | | |
| | | L | | | | L | <u> </u> | <u> </u> | <u> </u> | | | | | | _ | | | <u> </u> | | | | | + |
| | 2933.34 | | Other fentanyls and their derivatives | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | 1 | | 2.5% | 1 |

| | | | | | ICL/ | | | | | Prefer | ential | Duty | | | | Gen | | P | AL | | Excise | | |
|--------|------------|---|---|------|------|----|----|----|----|--------|--------|------|------|------|------|------|-----|-----|----|------|---------|------|---|
| IS Hdg | HS Code | | Description | Unit | SLSI | АР | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | |
| | | | | | | | | | | | | | | | | | | | | | | | - |
| | 2933.35 | | 3-Quinuclidinol | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2933.36 | | 4-Anilino-N-phenethylpiperidine (ANPP) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2933.37 | | N-Phenethyl-4-piperidone (NPP) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2933.39 | | Other : | | | | | | | | | | | | | | | | | | | | |
| | 2933.39.10 | | Paraquat dichloride | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2933.39.20 | | 3-Quinuclidinyl benzilate (1- azabicyclo[2.2.2]oct-3-yl hydroxy(diphenyl)acetate) | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2933.39.90 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | Ì |
| | | - | Compounds containing in the structure a quinoline or isoquinoline ring-system (whether or not hydrogenated), not further fused : | | | | | | | | | | | | | | | | | | | | |
| | 2933.41 | | Levorphanol (INN) and its salts | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2933.49 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | | - | Compounds containing a pyrimidine ring (whether or not hydrogenated) or piperazine ring in the structure : | | | | | | | | | | | | | | | | | | | | |
| | 2933.52 | | Malonylurea (barbituric acid) and its salts | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2933.53 | | Allobarbital (INN), amobarbital (INN), barbital (INN), butalbital (INN), butobarbital cyclobarbital (INN), methylphenobarbital (INN), pentobarbital (INN), phenobarbital (INN), secbutabarbital (INN), secobarbital (INN), and vinylbital (INN); salts thereof | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2933.54 | | Other derivatives of malonylurea (barbituric acid); salts thereof | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2933.55 | | Loprazolam (INN), mecloqualone (INN), methaqualone (INN) and zipeprol (INN); salts thereof | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2933.59 | | Other : | | | | | | | | | | | | | | 18% | | | | | | |
| | 2933.59.10 | | Diazinon | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | _ |
| | 2933.59.90 | | Other | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | - | Compounds containing an unfused triazine ring (whether or not hydrogenated) in the structure : | | | | | | | | | | | | | | | | | | | | |
| | 2933.61 | | Melamine | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2933.69 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | - | Lactams : | | | | | | | | | | | | | | | | | | | | |
| | 2933.71 | | 6-Hexanelactam (epsilon-caprolactam) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2933.72 | | Clobazam (INN) and methyprylon (INN) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2933.79 | | Other lactams | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | | - | Other : | | | | | | | | | | | | | | | | | | | | |

| | | | | ICL/ | | | | F | Prefer | ential | Duty | | | | Gen | | P | AL | _ | Excise | | S |
|--------|------------|--|------|------|----|----|----|----|--------|--------|------|------|------|------|------|-----|-----|----|------|---------|------|--------|
| HS Hdg | HS Code | Description | Unit | SLSI | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | 2933.91 | Alprazolam (INN), camazepam (INN), chlordiazepoxide (INN), clonazepam (INN), clorazepate, delorazepam (INN), diazepam (INN), estazolam (INN), ethyl loflazepate (INN), fludiazepam (INN), flunitrazepam (INN), flurazepam (INN), flunitrazepam (INN), flurazepam (INN), halazepam (INN), lorazepam (INN), lormetazepam (INN), mazindol (INN), medazepam (INN), midazolam (INN), nimetazepam (INN), nitrazepam (INN), nordazepam (INN), oxazepam (INN), pinazepam (INN), prazepam (INN), pyrovalerone (INN), temazepam (INN), tetrazepam (INN) and triazolam (INN); salts thereof | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2933.92 | Azinphos-methyl (ISO) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | Other : | | | | | | | | | | | | | | | | | | | | |
| | 2933.99.10 | Bitertnol | kg | | | | | | Free | Free | | Free | | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2933.99.90 | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | + |

| | | | | ICL/ | | | | I | Prefer | ential | Duty | | | | Gen | | P | AL | _ | Excise | | S |
|--------|------------------------|---|----------|------|------|----|----|----|--------------|--------------|------|--------------|------|--------------|--------------|------------|----------|----------|------|---------|-------|-----------|
| HS Hdg | HS Code | Description | Unit | SLSI | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| 29.34 | | Nucleic acids and their salts, whether or not chemically defined; other heterocyclic compounds. | | | | | | | | | | | | | | | | | | | | |
| | 2934.10 - | Compounds containing an unfused thiazole ring (whether or not hydrogenated) in the structure | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2934.20 - | Compounds containing in the structure a benzothiazole ring-system (whether or not hydrogenated), not further fused | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2934.30 - | Compounds containing in the structure a phenothiazine ring-system (whether or not hydrogenated), not further fused | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | Other : Aminorex (INN), brotizolam (INN), clotiazepam (INN), cloxazolam (INN), dextromoramide (INN), haloxazolam (INN), ketazolam (INN), mesocarb (INN), oxazolam (INN), pemoline (INN), phendimetrazine (INN), phenmetrazine (INN), and sufentanil (INN); salts thereof | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2934.92 - | Other fentanyls and their derivatives | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2934.99 - | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| 29.35 | | Sulphonamides. | | | | | | | | | | | | | | | | | | | | |
| | 2025 10 | N. Mathulaavfluovaastana aulahanamida | l (m | | | | | | Гисс | Гиал | | Гиро | Free | Гисс | Гисс | 100/ | 5% | 20/ | | | 2.5% | |
| | 2935.10 - 2935.20 - | N-Methylperfluorooctane sulphonamide N-Ethylperfluorooctane sulphonamide | kg kg | | | | | | Free Free | Free Free | | Free Free | Free | Free Free | Free Free | 18% 18% | 5% 5% | 2% 2% | | | 2.5% | |
| | 2935.30 - | N-Ethyl-N-(2-hydroxyethyl) perfluorooctane sulphonamide | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | \square |
| | 2935.40 - | N-(2-Hydroxyethyl)-N- methylperfluorooctane sulphonamide | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2935.50 - | Other perfluorooctane sulphonamides | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2935.90 - | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | XI PROVITAMINS, VITAMINS AND HORMONES | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| 29.36 | | Provitamins and vitamins, natural or reproduced by synthesis (including natural concentrates), derivatives thereof used primarily as vitamins, and intermixtures of the foregoing, whether or not in any solvent. | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | \square |
| | - | Vitamins and their derivatives, unmixed : | | | _ | | | | - | - | | - | | - | - | 1001 | F0/ | 201 | | | 2 52/ | + |
| | 2936.21 - | Vitamins A and their derivatives | kg | 1 | Free | | | | Free | Free | | Free | | Free | Free | 18% | 5% | 2% | | | 2.5% | |

| | | | | ICL/ | | | | I | Prefer | ential | Duty | | | | Gen | | PA | ۱L | | Excise | | S |
|--------|---------|--|------|------|------|----|----|----|--------|--------|------|------|----|------|------|-----|-----|----|------|---------|------|---|
| HS Hdg | HS Code | Description | Unit | SLSI | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | L |
| | | | | | | | | | | | | | | | | | | | | | | |
| | 2936.22 | Vitamin B ₁ and its derivatives | kg | | Free | | | | Free | Free | | Free | | Free | Free | 18% | 5% | 2% | | | 2.5% | |

| | | | | | ICL/ | | | | F | Prefer | ential | Duty | | | | Gen | | P | AL | | Excise | | s |
|--------|---------|---|--|------|------|------|----|----|----|---------|--------|------|------|------|------|------|-----|-----|----|------|---------|------|--------|
| HS Hdg | HS Code | | Description | Unit | SLSI | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | 2936.23 | | Vitamin B ₂ and its derivatives | kg | | Free | | | | Free | Free | | Free | | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2936.24 | | D- or DL- Pantothenic acid (Vitamin B_5) and | 1.0 | | Free | | | | Free | Free | | Free | | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | | its derivatives | kg | | Free | | | | FIEE | riee | | riee | | riee | riee | 10% | 5% | 2% | | | 2.5% | |
| | 2936.25 | | Vitamin B ₆ and its derivatives | kg | | Free | | | | Free | Free | | Free | | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2936.26 | | Vitamin B ₁₂ and its derivatives | kg | | Free | | | | Free | Free | | Free | | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2936.27 | | Vitamin C and its derivatives | kg | | Free | | | | Free | Free | | Free | | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2936.28 | | Vitamin E and its derivatives | kg | | Free | | | | Free | Free | | Free | | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2936.29 | | Other vitamins and their derivatives | kg | | Free | | | | Free | Free | | Free | | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2936.90 | - | Other, including natural concentrates | kg | | Free | | | | Free | Free | | Free | | Free | Free | 18% | 5% | 2% | | | 2.5% | - |
| 29.37 | | | Hormones, prostaglandins, thromboxanes and leukotrienes, natural or reproduced by synthesis; derivatives and structural analogues thereof, including chain modified polypeptides, used primarily as hormones (+). | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | - | Polypeptide hormones, protein hormones and glycoprotein hormones, their derivatives and structural analogues : | | | | | | | | | | | | | | | | | | | | |
| | 2937.11 | | Somatotropin, its derivatives and structural analogues | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2937.12 | | Insulin and its salts | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2937.19 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | | - | Steroidal hormones, their derivatives and structural analogues : | | | | | | | | | | | | | | | | | | | | |
| | 2937.21 | | Cortisone, hydrocortisone, prednisone (dehydrocortisone) and prednisolone (dehydrohydrocortisone) | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2937.22 | | Halogenated derivatives of corticosteroidal hormones | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | T |
| | 2937.23 | | Oestrogens and progestogens | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | 1 |
| | 2937.29 | | Other | kg | | | | | | Free | Free | | Free | | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2937.50 | - | Prostaglandins, thromboxanes and leukotrienes, their derivatives and structural analogues | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2937.90 | - | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | F |
| | | | XII - GLYCOSIDES AND ALKALOIDS, NATURAL OR REPRODUCED BY SYNTHESIS, AND THEIR SALTS, ETHERS, ESTERS AND OTHER DERIVATIVES | | | | | | | <u></u> | | | | | | | | | | | | | |
| | | | VENTALITES | | | | | | | | | | | | | | | | | | | | t |

| | | | | | ICL/ | | | | I | Prefer | ential | Duty | | | | Gen | | P | AL | | Excise | | S |
|--------|---------|---|--|------|------|----|----|----|----|--------|--------|------|------|------|------|------|-----|-----|----|------|---------|------|--------|
| HS Hdg | HS Code | | Description | Unit | SLSI | АР | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | | | | | | | | | | | | | 1 |
| 29.38 | | | Glycosides, natural or reproduced by synthesis, and their salts, ethers, esters and other derivatives. | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | _ | _ | | | _ | _ | | | | | | | | |
| | 2938.10 | - | Rutoside (rutin) and its derivatives | kg | | | | | | Free | Free | | Free | | Free | Free | 18% | Ex | | | - | 2.5% | _ |
| | 2938.90 | - | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| 29.39 | | | Alkaloids, natural or reproduced by synthesis, and their salts, ethers, esters and other derivatives. | | | | | | | | | | | | | | | | | | | | |
| | | - | Alkaloids of opium and their derivatives; salts thereof : | | | | | | | | | | | | | | | | | | | | + |
| | 2939.11 | | Concentrates of poppy straw; buprenorphine (INN), codeine, dihydrocodeine (INN), ethylmorphine, etorphine (INN), heroin, hydrocodone (INN), hydromorphone (INN), morphine, nicomorphine (INN), oxycodone (INN), oxymorphone (INN), pholcodine (INN), thebacon (INN) and thebaine; salts thereof | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2939.19 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | 1 |
| | 2939.20 | - | Alkaloids of cinchona and their derivatives; salts thereof | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | Ι |
| | 2939.30 | - | Caffeine and its salts | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | | - | Alkaloids of ephedra and their derivatives; salts thereof : | | | | | | | | | | | | | | | | | | | | |
| | 2939.41 | | Ephedrine and its salts | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2939.42 | | Pseudoephedrine (INN) and its salts | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2939.43 | | Cathine (INN) and its salts | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2939.44 | | Norephedrine and its salts | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2939.45 | | Levometamfetamine, metamfetamine (INN), metamfetamine racemate and their salts | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2939.49 | | Other Theophylline and aminophyline (theophylline- ethyllenediamine) and their derivatives; salts thereof : | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2939.51 | | Fenetylline (INN) and its salts | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2939.59 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | - | Alkaloids of rye ergot and their derivatives; salts thereof : | | | | | | | | | | | | | | 18% | | | | | | |
| | 2939.61 | | Ergometrine (INN) and its salts | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2939.62 | | Ergotamine (INN) and its salts | kg | L | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |

| | | | | | ICL/ | | | | I | Prefer | ential | Duty | | | | Gen | | P | AL | | Excise | | s |
|--------|---------|---|--|------|------|----|----|----|----|--------|--------|------|------|------|------|------|-----|-----|----|------|---------|------|-----------|
| HS Hdg | HS Code | | Description | Unit | SLSI | AP | AD | BN | GT | IN | РК | SA | SF | SD | SG | Duty | VAT | Gen | SG | Cess | (S.P.D) | SSCL | C L |
| | | | | | | | | | | | _ | | | _ | | | | | | | | | |
| | 2939.63 | | Lysergic acid and its salts | kg | L | | _ | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | _ |
| | 2939.69 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | _ |
| | 2939.72 | | Other, of vegetal origin : Cocaine, ecgonine; salts, esters and other derivatives thereof | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2939.79 | | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2939.80 | - | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | | XIIIOTHER ORGANIC COMPOUNDS | | | | | | | | | | | | | | | | | | | | |
| 29.40 | 2940.00 | | Sugars, chemically pure, other than sucrose, lactose, maltose, glucose and fructose; sugar ethers, sugar acetals and sugar ester and their salts, other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | | than products of heading 29.37, 29.38 or 29.39. | | | | | | | | | | | | | | | | | | | | |
| 29.41 | | | Antibiotics () | | | | | | | | | | | | | | | | | | | | |
| 29.41 | | | Antibiotics (+). | | | | | | | | | | | | | | | | | | | | - |
| | 2941.10 | - | Penicillins and their derivatives with a penicillanic acid structure; salts there of | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2941.20 | - | Streptomycins and their derivatives; salts thereof | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2941.30 | - | Tetracyclines and their derivatives; salts thereof | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2941.40 | - | Chloramphenicol and its derivatives; salts thereof | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | Ex | | | | 2.5% | |
| | 2941.50 | - | Erythromycin and its derivatives; salts thereof | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | 2941.90 | - | Other | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | \square |
| 29.42 | 2942.00 | | Other organic compounds. | kg | | | | | | Free | Free | | Free | Free | Free | Free | 18% | 5% | 2% | | | 2.5% | |
| | | | | | | | | | | | | | | | | | | | | | | | |